


























































TSX[®], Trabecular Metal[®], TSV[®], and Eztetic[®] Implant Systems



Trabecular Metal, Eztetic, Tapered Screw-Vent, and TSX Implants

	Length (mm)	Trabecular Metal Implants							
		3.5 mmP				4.5 mmP		5.7 mmP	
		3.7 mmD		4.1 mmD		4.7 mmD		6.0 mmD	
Machined Collar (0.5 mm) with Microgrooves	10		TMMB10		TMM4B10		TMMWB10		TMM6B10
	11,5		TMMB11		TMM4B11		TMMWB11		TMM6B11
	13		TMMB13		TMM4B13		TMMWB13		TMM6B13
	16		TMMB16		-		-		-
MTX Textured Collar with Microgrooves	10		TMTB10		TMT4B10		TMTWB10		TMT6B10
	11,5		TMTB11		TMT4B11		TMTWB11		TMT6B11
	13		TMTB13		TMT4B13		TMTWB13		TMT6B13
	16		TMTB16		-		-		-

	Length (mm)	Eztetic Implants		Tapered Screw-Vent Implants					
		2.9 mmP		3.5 mmP		4.5 mmP		5.7 mmP	
		3.1 mmD		3.7 mmD	4.1 mmD	4.7 mmD		6.0 mmD	
Machined Collar (1 mm) without Microgrooves	8		TSVB8		TSV4B8		TSVWB8	TSV6B8	
	10		TSVB10		TSV4B10		TSVWB10	TSV6B10	
	11,5		TSVB11		TSV4B11		TSVWB11	TSV6B11	
	13		TSVB13		TSV4B13		TSVWB13	TSV6B13	
	16		TSVB16		TSV4B16		TSVWB16	TSV6B16	
Machined Collar (0.5 mm) with Microgrooves	8		CM318		TSVMB8		TSVM4B8	TSVMWB8	TSVM6B8
	10		CM3110		TSVMB10		TSVM4B10	TSVMWB10	TSVM6B10
	11,5		CM3111		TSVMB11		TSVM4B11	TSVMWB11	TSVM6B11
	13		CM3113		TSVMB13		TSVM4B13	TSVMWB13	TSVM6B13
	16		CM3116		TSVMB16		TSVM4B16	TSVMWB16	TSVM6B16
MTX Textured Collar with Microgrooves	8		CT318		TSVTB8		TSVT4B8	TSVTWB8	TSVT6B8
	10		CT3110		TSVTB10		TSVT4B10	TSVTWB10	TSVT6B10
	11,5		CT3111		TSVTB11		TSVT4B11	TSVTWB11	TSVT6B11
	13		CT3113		TSVTB13		TSVT4B13	TSVTWB13	TSVT6B13
	16		CT3116		TSVTB16		TSVT4B16	TSVTWB16	TSVT6B16

Length (mm)	TSX Implants					
	2.9 mmP	3.5 mmP			4.5 mmP	
	3.1 mmD	3.7 mmD	4.1 mmD	4.7 mmD ¹	5.4 mmD	6.0 mmD ¹
						
8	TSX31B8	TSX37B8	TSX41B8	TSX47B8	TSX54B8	TSX6B8
10	TSX31B10	TSX37B10	TSX41B10	TSX47B10	TSX54B10	TSX6B10
11,5	TSX31B11	TSX37B11	TSX41B11	TSX47B11	TSX54B11	TSX6B11
13	TSX31B13	TSX37B13	TSX41B13	TSX47B13	TSX54B13	TSX6B13
16	TSX31B16	TSX37B16	TSX41B16	TSX47B16	TSX54B16	TSX6B16

¹ Note: The 4.7mmD implant features a green color-coded 3.5mmD platform and the 6.0mmD implant has a purple color-coded 4.5mmD platform, unlike TSV Implants.

Prosthetic Components for TSX, Eztetic, Trabecular Metal, and TSV Implants

Height (mm)	TSX and Eztetic Implants		Trabecular Metal, Tapered Screw-Vent, and TSX Implants									
	2.9 mmP		3.5 mmP			4.5 mmP				5.7 mmP ¹		
	3.7 mmEP	4.5 mmEP	3.8 mmEP	5.0 mmEP	6.5 mmEP	4.5 mmEP	5.5 mmEP	6.5 mmEP	7.5 mmEP	5.7 mmEP	6.8 mmEP	7.5 mmEP
3	CEEHA333	CEEHA343	TEEHA333	TEEHA353	TEEHA363	TEEHA443	TEEHA453	TEEHA463	TEEHA473	TEEHA553	TEEHA563	TEEHA573
5	CEEHA335	CEEHA345	TEEHA335	TEEHA355	TEEHA365	TEEHA445	TEEHA455	TEEHA465	TEEHA475	TEEHA555	TEEHA565	TEEHA575
7	CEEHA337	CEEHA347	TEEHA337	TEEHA357	TEEHA367	TEEHA447	TEEHA457	TEEHA467	TEEHA477	-	-	-

One-Piece Healing Collars	TSX and Eztetic Implants		Trabecular Metal, Tapered Screw-Vent, and TSX Implants									
	2.9 mmP		3.5 mmP			4.5 mmP				5.7 mmP ¹		
	Dimension (mm)		Dimension (mm)			Dimension (mm)				Dimension (mm)		
Healing Collars 3 mm length shown	3.7 EP	1.5 CH	CHCNP31	3.5 EP	3 CH	HC333	4.5 EP	3 CH	HC443	6.5 EP	3 CH	HC563
		3 CH	CHCNP33		5 CH	HC335		5 CH	HC445		5 CH	HC565
		4.5 CH	CHCNP34		3 CH	HC343		3 CH	HC453			
	4.5 EP	1.5 CH	CHCNP41	4.5 EP	5 CH	HC345	5.5 EP	5 CH	HC455	7 CH	7 CH	HC457
		3 CH	CHCNP43		3 CH	HC353		3 CH	HC463			
		4.5 CH	CHCNP44		5 CH	HC355		5 CH	HC465			

Impression Copings	TSX and Eztetic Implants		Trabecular Metal, Tapered Screw-Vent, and TSX Implants									
	2.9 mmP		3.5 mmP			4.5 mmP				5.7 mmP ¹		
	Dimension (mm)		Dimension (mm)			Dimension (mm)				Dimension (mm)		
Indirect Transfer (For closed-tray impressions – includes screw p/n HLT52)	3.7 EP	1.5 CH	CITNP31	3.5 EP	3.5 EP	HLT3/3	4.5 EP	4.5 EP	HLT4/4	6.5 EP	6.5 EP	HLT5/6
		3 CH	CITNP33		4.5 EP	HLT3/4		5.5 EP	HLT4/5			
		4.5 CH	CITNP34		5.5 EP	HLT3/5		6.5 EP	HLT4/6			
	4.5 EP	1.5 CH	CITNP41	4.5 EP	4.5 EP	DHT3/3	5.5 EP	5.5 EP	DHT4/4	6.5 EP	6.5 EP	HLT5/6 + HLTE
		3 CH	CITNP43		4.5 EP	DHT3/4		5.5 EP	DHT4/5			
		4.5 CH	CITNP44		5.5 EP	DHT3/5		6.5 EP	DHT4/6			
Direct Transfer (For open-tray impressions – includes screw p/n DHTS)	4.5 EP	1.5 CH	CDTNP41	4.5 EP	4.5 EP	DHT3/3	5.5 EP	5.5 EP	DHT4/4	6.5 EP	6.5 EP	HLT5/6 + HLTE
		3 CH	CDTNP43		4.5 EP	DHT3/4		5.5 EP	DHT4/5			
Implant Analogs	4.5 EP	1.5 CH	CIANP	4.5 EP	4.5 EP	IA3	5.5 EP	5.5 EP	IA4	6.5 EP	6.5 EP	IA5
		4.5 CH	CIANP		4.5 EP	DHT3/5		6.5 EP	DHT4/6			

Provisional Restorations	TSX and Eztetic Implants		Trabecular Metal, Tapered Screw-Vent, and TSX Implants									
	2.9 mmP		3.5 mmP			4.5 mmP				5.7 mmP ¹		
	Dimension (mm)		Dimension (mm)			Dimension (mm)				Dimension (mm)		
Temporary Titanium/Plastic Abutments (Plastic Abutments include retaining screw p/n PTSC and long processing screw p/n DHTS2. for max. 180 days in the case of Plastic Abutments)	3.5 EP	3.5 EP	CTANP31									
				PT341S	PT344S	PT341A	PT344A	PT451S	PT454S	PT451A	PT454A	PT561S
Fixture Mount/Transfer ² (Incl. replacement retaining screw p/n URS2)												
				FMT3	FMT4	FMT5						











¹ Not compatible with TSX Restorative Platform

² Supplied with implant

GenTek® Ti-Bases and Restorative Components











GenTek Crowns and Bridges	TSX and Eztetic Implants		Trabecular Metal, Tapered Screw-Vent, and TSX Implants			
	2.9 mmP		3.5 mmP		4.5 mmP	5.7 mmP ¹
Ti-Base Engaging, Single-Unit, Implant-Level incl. Hexalobular Retaining Screw and Gluing Screw Recommended Torque 30 Ncm, Post Height 7 mm						
	1.0 mmH ZFX11ZB-EZ29AS10E	0.3 mmH ZFX11ZB-TSV35AS03E	0.3 mmH ZFX11ZB-TSV45AS03E	0.3 mmH ZFX11ZB-TSV57AS03E		
	1.7 mmH ZFX11ZB-EZ29AS17E	1.3 mmH ZFX11ZB-TSV35AS13E	1.3 mmH ZFX11ZB-TSV45AS13E	1.3 mmH ZFX11ZB-TSV57AS13E		
	2.6 mmH ZFX11ZB-EZ29AS26E	2.6 mmH ZFX11ZB-TSV35AS26E	2.6 mmH ZFX11ZB-TSV45AS26E	2.6 mmH ZFX11ZB-TSV57AS26E		
Ti-Base Non-Engaging, Multi-Unit, Implant-Level incl. Hexalobular Retaining Screw and Gluing Screw Recommended Torque 30 Ncm Post Height 7 mm						
	1.0 mmH ZFX11ZB-EZ29AS10N	0.3 mmH ZFX11ZB-TSV35AS03N	0.3 mmH ZFX11ZB-TSV45AS03N	0.3 mmH ZFX11ZB-TSV57AS03N		
	1.7 mmH ZFX11ZB-EZ29AS17N	1.3 mmH ZFX11ZB-TSV35AS13N	1.3 mmH ZFX11ZB-TSV45AS13N	1.3 mmH ZFX11ZB-TSV57AS13N		
Hexalobular Retaining Screw for Ti-Base						
	ZFX09-ZB-EZ-HLRS	ZFX09-ZB-TSV-HLRS	ZFX09-ZB-TSV-HLRS	ZFX09-ZB-TSV-HLRS		
Ti-Base Milling Block Compatible Engaging, Single-Unit, Implant-Level incl. Retaining and Gluing Screws Recommended Torque 30 Ncm Height 4.7 mm						
	ZFX11-ZB-EZ-2947-ES	ZFX11-ZB-TSV-3547-EL	ZFX11-ZB-TSV-4547-EL	ZFX11-ZB-TSV-5747-EL		
Ti-Base Milling Block Compatible Non-Engaging, Multi-Unit, Implant-Level incl. Retaining and Gluing Screws Recommended Torque 30 Ncm Height 4.7 mm						
	ZFX11-ZB-EZ-2947-NES	ZFX11-ZB-TSV-3547-NEL	ZFX11-ZB-TSV-4547-NEL	ZFX11-ZB-TSV-5747-NEL		
Retaining Screw for Ti-Base Milling Block Compatible						
	ZFX09-ZB-EZ-RS	ZFX09-ZB-TSV-RS	ZFX09-ZB-TSV-RS	ZFX09-ZB-TSV-RS		
Ti-Base Non-Engaging, Multi-unit, Abutment-Level incl. Retaining and Gluing Screws Recommended Torque 20 Ncm Height 3.9 mm	-	-		-		
			ZFX11-ZB-TA-45			
Retaining Screw for Multi-unit Ti-Base, Abutment-Level	-	-		-		
			ZFX09-ZB-TA-RS			
GenTek Titanium Pre-Milled Abutment Blanks	TSX and Eztetic Implants		Trabecular Metal, Tapered Screw-Vent, and TSX Implants			
	2.9 mmP		3.5 mmP		4.5 mmP	5.7 mmP ¹
Pre-Abutment Blank (Titanium) incl. Retaining Screw, 30 Ncm Recommended Torque 30 Ncm						
	ZFX18-ZB-EZ-29	ZFX18-ZB-TSV-35	ZFX18-ZB-TSV-45	ZFX18-ZB-TSV-57		
Retaining Screw for Ti-Base						
	ZFX09-ZB-EZ-RS	ZFX09-ZB-TSV-RS	ZFX09-ZB-TSV-RS	ZFX09-ZB-TSV-RS		
GenTek Scan Bodies	TSX and Eztetic Implants		Trabecular Metal, Tapered Screw-Vent, and TSX Implants			
	2.9 mmP		3.5 mmP		4.5 mmP	5.7 mmP ¹
Intraoral and Desktop Scan Body Implant-Level incl. screw. Available in 5 mm height, sold individually						
	ZFX05Z-ZB-EZ-29	ZFX05Z-ZB-TSV-35	ZFX05Z-ZB-TSV-45	ZFX05Z-ZB-TSV-57		
Intraoral and Desktop Scan Body, Abutment-Level incl. screw. Available in 5 mmH, sold individually	-	-		-		
			ZFX05Z-ZB-TA-45			









¹ Not compatible with TSX Restorative Platform

GenTek Digital Analogs	TSX and Eztetic Implants		Trabecular Metal, Tapered Screw-Vent, and TSX Implants					
	2.9 mmP		3.5 mmP		4.5 mmP		5.7 mmP ¹	
Digital Analog Implant Level incl. Fixation Screw*	 ZFX15Z-ZB-EZ-29		 ZFX15Z-ZB-TSV-35		 ZFX15Z-ZB-TSV-45		 ZFX15Z-ZB-TSV-57	
Placement Tool for Digital Analogs	 ZFX02-M16		 ZFX02-M18		 ZFX02-M18		 ZFX02-M18	
Digital Analog Abutment Level incl. Fixation Screw*	-		-		 ZFX15Z-ZB-TA-45		-	
Placement Tool for Digital Analog Abutment Level	-		-		 ZFX02-M18		-	

*HXGR1.25 and HXLGR1.25 are compatible drivers

Cement-Retained Restorations







Straight	TSX and Eztetic Implants		Trabecular Metal, Tapered Screw-Vent, and TSX Implants					
	2.9 mmP		3.5 mmP		4.5 mmP		5.7 mmP ¹	
Hex-Lock® Contour Abutments (Incl. Screw p/n MHLAS)	Dimension (mm)		Dimension (mm)		Dimension (mm)		Dimension (mm)	
		1.5 CH CANP31S 3 CH CANP33S 4.5 CH CANP34S		1 CH ZOA341S 2 CH ZOA342S 3 CH ZOA343S		1 CH ZOA441S ² 2 CH ZOA442S ² 3 CH ZOA443S ²		1 CH ZOA561S 2 CH ZOA562S 3 CH ZOA563S
Hex-Lock Short Abutments (Incl. screw p/n MHLAS)	-			1 CH SA341 2 CH SA342		1 CH SA451 2 CH SA452		1 CH SA561 2 CH SA562
Hex-Lock Abutments (Incl. screw p/n MHLAS)	-			HLA3/3 4.5 EP HLA3/4 5.5 EP HLA3/5		HLA4/4 5.5 EP HLA4/5 6.5 EP HLA4/6		HLA5/6

Angled	TSX and Eztetic Implants		Trabecular Metal, Tapered Screw-Vent, and TSX Implants					
	2.9 mmP		3.5 mmP		4.5 mmP		5.7 mmP ¹	
Hex-Lock Contour Abutments, 17° (Incl. screw p/n AH20S)	Dimension (mm)		Dimension (mm)		Dimension (mm)		Dimension (mm)	
		1.5 CH CANP31A 3 CH CANP33A		1 CH ZOA341A 2 CH ZOA342A		1 CH ZOA441A 2 CH ZOA442A		1 CH ZOA561A 2 CH ZOA562A
Angled Abutment, 20°, for 6 Positions (Incl. screw p/n AH20S)		3.5 EP C20A3		4.5 EP AH20/4		5.5 EP AH20W/5		6.5 EP A5H20/6




































¹ Not compatible with TSX Restorative Platform

² Structures for Ø 4.5 mm x Ø 4.5 mm profile are listed but not illustrated. Note: For these items, please use the Contour Restorative Kit ZCRKIT4S (straight) or ZCRKIT4A (angled).





































Custom Restorations, Engaging and Non-Engaging

Custom Restorations	TSX and Eztetic Implants		Trabecular Metal, Tapered Screw-Vent, and TSX Implants					
	2.9 mmP		3.5 mmP	4.5 mmP	5.7 mmP ¹			
"Cast-To" Gold Abutment, Engaging (Incl. screw p/n MHLAS)		CEANP31		HLA3G		HLA4G		HLA5G
"Cast-To" Gold Abutment, Non-Engaging (Incl. screw p/n MHLAS)	-			NEA3G		NEA4G	-	

















Replacement Retaining Screws

Screws	TSX and Eztetic Implants		Trabecular Metal, Tapered Screw-Vent, and TSX Implants			
	2.9 mmP		3.5 mmP	4.5 mmP	5.7 mmP ¹	
Abutment Screw for Straight Abutments	 CUAS		 MHLAS	 MHLAS	 MHLAS	
Abutment Screw for Angled Abutments	 CUASA 1.5 mmCH	 CUAS 3 mmCH	 AH20S	 AH20S	 AH20S	
Replacement Retaining Screw Direct Transfer	 CASLC		 DHTS	 DHTS	 DHTS	
Replacement Retaining Screw Plastic Temporary Abutments (Long)	-		 DHTS2	 DHTS2	 DHTS2	
Extension Screw 3.0 mm, Indirect Transfer	-		 HLTE	 HLTE	 HLTE	
Replacement Retaining Screw Indirect Transfer, Hex-Lock Abutments (Long)	-		 HLTS2	 HLTS2	 HLTS2	
Waxing Screw "Cast-To" Gold Abutments, Engaging	-		 MTWSD	 MTWSD	 MTWSD	
Waxing Screw Tapered Abutment	-		 SCWS	 SCWS	 SCWS	
Replacement Screw for Copings	-		 SCTS	 SCTS	 SCTS	
Digital Analog Fixation Screw (4 screws in one pack)	 ZFX15Z-FS		 ZFX15Z-FS	 ZFX15Z-FS	 ZFX15Z-FS	

Screw-Retained Restorations





Universal Multi-Unit Abutments	TSX and Eztetic Implants		Trabecular Metal, Tapered Screw-Vent, and TSX Implants					
	2.9 mmP		3.5 mmP	4.5 mmP	5.7 mmP ¹			
Universal Straight Abutment Non-engaging, does not engage in the internal hex connection. Not for use in single-unit restorations.		1.0 mmH UMUA-NP291S		1.0 mmH UMUA-TSV351S		1.0 mmH UMUA-TSV451S		1.0 mmH UMUA-TSV571S
		2.0 mmH UMUA-NP292S		2.0 mmH UMUA-TSV352S		2.0 mmH UMUA-TSV452S		2.0 mmH UMUA-TSV572S
		3.0 mmH UMUA-NP293S		3.0 mmH UMUA-TSV353S		3.0 mmH UMUA-TSV453S		3.0 mmH UMUA-TSV573S
		4.0 mmH UMUA-NP294S		4.0 mmH UMUA-TSV354S		4.0 mmH UMUA-TSV454S		4.0 mmH UMUA-TSV574S
		5.0 mmH UMUA-NP295S		5.0 mmH UMUA-TSV355S		5.0 mmH UMUA-TSV455S		5.0 mmH UMUA-TSV575S
Universal Angled Abutment, 17°, Engaging in implant, not for use in single-unit restorations (incl. pre-assembled retaining screw).		2.5 mmH UMUA-NP2925-17S		2.5 mmH UMUA-TSV3525-17S		2.5 mmH UMUA-TSV4525-17S		2.5 mmH UMUA-TSV5725-17S
		3.5 mmH UMUA-NP2935-17S		3.5 mmH UMUA-TSV3535-17S		3.5 mmH UMUA-TSV4535-17S		3.5 mmH UMUA-TSV5735-17S
Universal Angled Abutment, 30°, Engaging in implant, not for use in single-unit restorations (incl. pre-assembled retaining screw).		3.5 mmH UMUA-NP2935-30S		3.5 mmH UMUA-TSV3535-30S		3.5 mmH UMUA-TSV4535-30S		3.5 mmH UMUA-TSV5735-30S
		4.5 mmH UMUA-NP2945-30S		4.5 mmH UMUA-TSV3545-30S		4.5 mmH UMUA-TSV4545-30S		4.5 mmH UMUA-TSV5745-30S














Universal Multi-Unit Abutment Components





							
							

¹ Not compatible with TSX Restorative Platform





Overdenture Restorations

OverdenSURE® Abutments	TSX and Eztec Implants			Trabecular Metal, Tapered Screw-Vent, and TSX Implants								
	2.9 mmP			3.5 mmP		4.5 mmP			5.7 mmP ¹			
OverdenSURE Removable Attachment System (Retention Kit ODS-RIKIT2001 included. Available in all active geographies except the U.S.)		1.0 mmH	ODS-NP201		1.0 mmH	ODS-TSV301		1.0 mmH	ODS-TSV401		1.0 mmH	ODS-TSV501
		2.0 mmH	ODS-NP202		2.0 mmH	ODS-TSV302		2.0 mmH	ODS-TSV402		2.0 mmH	ODS-TSV502
		3.0 mmH	ODS-NP203		3.0 mmH	ODS-TSV303		3.0 mmH	ODS-TSV403		3.0 mmH	ODS-TSV503
		4.0 mmH	ODS-NP204		4.0 mmH	ODS-TSV304		4.0 mmH	ODS-TSV404		4.0 mmH	ODS-TSV504
		5.0 mmH	ODS-NP205		5.0 mmH	ODS-TSV305		5.0 mmH	ODS-TSV405		5.0 mmH	ODS-TSV505
		6.0 mmH	ODS-NP206		6.0 mmH	ODS-TSV306		6.0 mmH	ODS-TSV406		6.0 mmH	ODS-TSV506

OverdenSURE Components														
Transfer Cap	QTY	Abutment Analogue	QTY	Bar Attachment ²	QTY	Blockout Spacer	QTY	Retention Housing Cap	QTY					
	ODS-IC01	1		ODS-AA01	1		ODS-BARATT01	1		ODS-BS010	20		ODS-RH01	1
	ODS-IC04	4		ODS-AA04	4		ODS-BARATT02	2					ODS-RH04	4
	ODS-IC10	10		ODS-AA10	10		ODS-BARATT04	4					ODS-RH10	10
Retention Kits (Set)			QTY	Retention Inserts			QTY							
	20°	ODS-RIKIT2001	1		ODS-RIB2004	4		ODS-RIR4004	4					
	20°	ODS-RIKIT2002	2		ODS-RIP2004	4		ODS-RIY4004	4					
	40°	ODS-RIKIT4001	1		ODS-RIC2004	4		ODS-RIG4004	4					
	40°	ODS-RIKIT4002	2											

Ball Abutments	TSX and Eztec Implants			Trabecular Metal, Tapered Screw-Vent, and TSX Implants								
	2.9 mmP			3.5 mmP		4.5 mmP			5.7 mmP ¹			
Ball Abutments with Metal Housing and Nylon Liners		2 mmCH	CBANP2		2 mmCH	BAC2		2 mmCH	BACW2		2 mmCH	BA5C2
		4 mmCH	CBANP4		4 mmCH	BAC4		4 mmCH	BACW4		4 mmCH	BA5C4
		6 mmCH	CBANP6		6 mmCH	BAC6		6 mmCH	BACW6		6 mmCH	BACW6

Components for Ball Abutments											
	BAT Ball Abutment Transfer Cap		CAT Transfer Cap		BAR Ball Abutment Analogue		CAH Metal Females		CAN Nylon Liner		CAN-G Nylon Liner for Fixed Retention
	CAS Cap Attachment System (Includes 4 Nylon Liners, 2 Positioning Rings, 4 Housing and 4 Castable Ball Patterns)		CAI Cap Attachment Instruments (Includes Seating Tool, Reamer and Paralleling Tool)								

Prosthetic Tools and Torque Wrenches											
	TWR Torque Wrench 10–35 Ncm		TW1.25 Hex Driver Tip for Torque Wrench, Ø 1.25 mm, for TWR, 17 mm long		TW1.25L Hex Driver Tip for Torque Wrench, Ø 1.25 mm, long, for TWR, 22 mm long		HXGR1.25 22 mm long		HX1.25D 23 mm long		TLRT2 Removal Tool TSV
	ZTIRW High Torque Indicating Ratchet Wrench 40–90 Ncm		ABTH Abutment Holder		ODS-DRVR Abutment Driver		ODS-IRTOOL Removal and Insertion Tool		HXLGR1.25 30 mm long		HXL1.25D 30 mm long
	UMUA-D Multi-Unit Driver		ISO4X4A ISO Latch, 4x4 Driver		ASC-SD24 Angulated Screw Channel Screwdriver, 24 mm, long		ASC-SD30 Angulated Screw Channel Screwdriver, 30 mm, long				

¹ Not compatible with TSX Restorative Platform

² Does not include Retention Kit sets


For more information visit ZimVie.eu

ZimVie US Corp LLC

4555 Riverside Drive
Palm Beach Gardens, FL 33410
Tel: +1-561-776-6700
Fax: +1-561-776-1272
dentalCS@ZimVie.com



Unless otherwise indicated, as referenced herein, all trademarks and intellectual property rights are the property of ZimVie Inc. and its affiliates; and all products are manufactured by one or more of the dental subsidiaries of ZimVie US Corp LLC (Biomet 3i, LLC, etc.) and distributed by ZimVie US Corp LLC and its authorized marketing partners. OverdenSURE and Universal Multi-unit abutments, components and tools are manufactured by Terrats Medical S.L. ZimVie is an authorized distributor of Torque Wrenches which are manufactured by Josef Ganter. EU MDR classification: Dental Implants (Class IIb), OverdenSURE (Class IIb), Ti-Bases (Class IIb), Scan Bodies (Class I), Blanks (Class IIb), Tools (Class I), Sterile instruments (Class Ib), Abutments (Class IIb), Screws (Class IIb), and Analogs (non medical devices). More information on the intended purpose of the devices is available at: labeling.ZimVie.com. The products here shown are not eligible for reimbursement in France. For other countries, please check the local laws and regulation. For additional product information, please refer to the individual product labeling or instructions for use. Product clearance and availability may be limited to certain countries/regions. This material is intended for clinicians only and does not comprise medical advice or recommendations. Distribution to any other recipient is prohibited. This material may not be copied or reprinted without the express written consent of ZimVie. ZV0796-EMEA REV G 05/26 ©2026 ZimVie. All rights reserved.



The NB number applicable to each device can be found on the product label, if applicable.