



Strong Meets
Supple



CopiOs[®]

Pericardium Membrane

1 Demonstrated Performance

- Clinically demonstrated performance in guided bone regeneration procedures,^{1,2} where ease of manipulation and adaptability to surface contours is essential

2 Long-Lasting

- Shown to provide a stable, long-lasting barrier during healing and integration of Puros[®] Allografts and staged or immediately placed implants^{1,2}

3 Retains Natural Tissue Structure

- Supports an aesthetic soft-tissue response^{1,2} through facilitation of cell attachment and proliferation and remodeling into vascularized connective tissue^{1,3}
- Retains the structure and composition of natural tissue due to the proprietary Tutoplast[®] process, leading to optimal performance and handling^{1,2}



The Unique Tutoplast® Process

For over 40 years, Tutoplast processed tissues have been safely used in more than 9 million procedures.⁴


The proprietary Tutoplast process assures the highest standard of tissue safety and quality with minimal risk of disease transmission.⁴ The process preserves the valuable collagen matrix and tissue integrity while inactivating pathogens and gently removing unwanted materials, such as cells, antigens, and viruses.⁴ The result is safe, biocompatible tissue.



1. Alkaline Treatment




2. Osmotic Treatment



3. Oxidative Treatment



4. Solvent Treatment



5. Irradiation

Take a closer look




X-ray of initial situation.



Sinus lift using Puros Allograft Cancellous Particles.



CopiOs Pericardium Membrane draped over lateral window.



4-months post-operative CBCT scan.

Photos ©2012 Dr. Ole Richter, DMD. All rights reserved. Individual results may vary.

Ordering Information

Catalog #	Description
97002	CopiOs Pericardium Membrane, 15 x 20 mm
97003	CopiOs Pericardium Membrane, 20 x 30 mm
97004	CopiOs Pericardium Membrane, 30 x 40 mm

1. Kistler S, Bayer G, Kistler F, Am Lech L. Experience with the biological Tutodent membrane in implant practice. *Implantologie Zeitung Journal*. 2004;8(7):47-48.
2. Simsek B, Simsek S. Evaluation of success rates of immediate and delayed implants after tooth extraction. *Chinese Medical Journal*. 2003;116(8):1216-1219.
3. Steigmann M. Pericardium membrane and xenograft particulate grafting materials for horizontal alveolar ridge defects. *Implant Dent*. 2006;15:186-191.
4. Data on file with RTI Surgical, Inc.

For more information, visit ZimVie.eu

ZimVie US Corp LLC
 4555 Riverside Drive
 Palm Beach Gardens, FL 33410
 Tel: +1-561-776-6700
 Fax: +1-561-776-1272
dentalCS@ZimVie.com

ZimVie
 Restoring Daily Life.®

The IFU for CopiOs Pericardium Membrane is solely provided in digital form via eifu.tutogen.com. Internet capable device with a PDF-viewer is required to display the Instructions for Use. Unless otherwise indicated, as referenced herein, all trademarks and intellectual property rights are the property of ZimVie Inc. and its affiliates; and all products are manufactured by one or more of the dental subsidiaries of ZimVie US Corp LLC (Biomet 3i, LLC, etc.) and distributed by ZimVie US Corp LLC and its authorized marketing partners. Tutoplast is a registered trademark owned by Tutogen Medical GmbH. Puros Allografts and CopiOs Pericardium Membranes are manufactured by Tutogen Medical GmbH. EU MDR Classification: CopiOs Pericardium Membrane (III). CopiOs Pericardium Membrane is intended for use in oral surgical procedure as a resorbable material. The products shown in this material are not eligible for reimbursement in France. For other countries, please check the local laws and regulations. For additional product information, please refer to the individual product labeling or instructions for use. Product clearance and availability may be limited to certain countries/regions. This material is intended for clinicians only and does not comprise medical advice or recommendations. Distribution to any other recipient is prohibited. This material may not be copied or reprinted without the express written consent of ZimVie. ZV0985-EMEA REV B 10/25 ©2025 ZimVie. All rights reserved.

