



TSX™ Implant System









Table of Contents

Dental Implants	4
TSX Implants	4
Healing Components	5
Healing Collar Selection Guidelines	5
Encode® Emergence Healing Abutments	5
Encode Healing Abutments	6
Healing Collars	6
Prosthetics	7
Impression Transfer	7
Provisional Restorations	8
Digital Restorations	9
Cement-Retained Restorations	10
“Cast-To” Gold Restorations	14
Screw-Retained Restorations	14
Overdenture Restorations	16
Prosthetic Tools	18
Surgical Kit and Instrumentation	20
Instrument Kit System Overview	20
Tapered Screw-Vent Surgical Kit	22
Dríva™ Gold Series Surgical Drills	24
Guided Surgery Instrumentation	27
Fully Guided Z3D Kit Components	28
Bone Profilers	30

Dental Implants (Class IIb Medical Devices)


TSX IMPLANT



Surgical Cover Screws

Included with Implant.

Implant Platform		
NP (2.9 mmD)	3.5 mmD	4.5 mmD
CCSNP	TSC	TSCW



TSX Implants

Includes cover screw and optional alignment pin to aid in guiding parallelism during multiple implant placement.

Implant Diameter	Implant Platform	Internal Hex Connection	Implant Length				
			8 mmL	10 mmL	11.5 mmL	13 mmL	16 mmL
3.1 mmD	2.9 mmD	2.1 mmD	TSX31B8	TSX31B10	TSX31B11	TSX31B13	TSX31B16
3.7 mmD	3.5 mmD	2.5 mmD	TSX37B8	TSX37B10	TSX37B11	TSX37B13	TSX37B16
4.1 mmD	3.5 mmD	2.5 mmD	TSX41B8	TSX41B10	TSX41B11	TSX41B13	TSX41B16
4.7 mmD*	3.5 mmD	2.5 mmD	TSX47B8	TSX47B10	TSX47B11	TSX47B13	TSX47B16
5.4 mmD	4.5 mmD	2.5 mmD	TSX54B8	TSX54B10	TSX54B11	TSX54B13	TSX54B16
6.0 mmD*	4.5 mmD	2.5 mmD	TSX6B8	TSX6B10	TSX6B11	TSX6B13	TSX6B16


*Note: The 4.7 mmD implant features a green color-coded 3.5 mmD platform and the 6.0 mmD implant has a purple color-coded 4.5 mmD platform, unlike TSV® Implants.

Healing Components

HEALING COLLAR SELECTION GUIDELINES

Selecting a Healing Collar:

- Determine the size of the implant platform
- Select the emergence profile that best suits the site being restored. The profile should match the transfer and/or abutment to be used
- Select the cuff height so that the top of the component protrudes slightly above the surrounding tissue



HC3/TEHA3/TEEHA3 = 3.5 mmD (Implant Platform) Healing Collar
 HC4/TEHA4/TEEHA4 = 4.5 mmD (Implant Platform) Healing Collar

Example:

TEEHA333 = 3.5 mmD (Implant Platform) Healing Abutment, 3.8 mmD Emergence Profile, 3.0 mm Cuff Height (middle digit equals profile, last digit equals height)
 TEHA3383 = 3.5 mmD (Implant Platform) Healing Abutment, 3.8 mmD Emergence Profile, 3.0 mm Cuff Height (middle two digits equals profile, last digit equals height)
 HC343 = 3.5 mmD (Implant Platform) Healing Collar, 4.5 mmD Emergence Profile, 3.0 mm Cuff Height (second digit equals profile, third digit equals height)

ENCODE EMERGENCE HEALING ABUTMENTS*

Encode Healing Abutment is a 3-in-1 two-piece healing abutment/impression coping/scan-body.

Encode Emergence Healing Abutments for TSX 3.1 mmD Implants

Implant Platform	Emergence Profile	Cuff Height		
		3.0 mm	5.0 mm	7.0 mm
2.9 mmD	3.7 mmD	CEEHA333	CEEHA335	CEEHA337
	4.5 mmD	CEEHA343	CEEHA345	CEEHA347



Encode Emergence Healing Abutments for TSX Implants

Implant Platform	Emergence Profile	Cuff Height		
		3.0 mm	5.0 mm	7.0 mm
3.5 mmD	3.8 mmD	TEEHA333	TEEHA335	TEEHA337
3.5 mmD	5.0 mmD	TEEHA353	TEEHA355	TEEHA357
3.5 mmD	6.5 mmD	TEEHA363	TEEHA365	TEEHA367
4.5 mmD	4.5 mmD	TEEHA443	TEEHA445	TEEHA447
4.5 mmD	5.5 mmD	TEEHA453	TEEHA455	TEEHA457
4.5 mmD	6.5 mmD	TEEHA463	TEEHA465	TEEHA467
4.5 mmD	7.5 mmD	TEEHA473	TEEHA475	TEEHA477



*Not available in all markets.

ENCODE HEALING ABUTMENTS*

Encode Healing Abutment is a 3-in-1 two-piece healing abutment/impression coping/scan-body.


Implant Platform	Emergence Profile	Cuff Height		
		3.0 mm	5.0 mm	7.0 mm
3.5 mmD	3.8 mmD	TEHA3383	TEHA3385	TEHA3387
3.5 mmD	5.0 mmD	TEHA3503	TEHA3505	—
4.5 mmD	5.0 mmD	TEHA4503	TEHA4505	—
4.5 mmD	5.6 mmD	TEHA4563	TEHA4565	TEHA4567
4.5 mmD	6.0 mmD	TEHA4603	TEHA4605	—

*Not available in all markets.





HEALING COLLARS

Implant Platform	Emergence Profile	Cuff Height		
		1.5 mm	3.0 mm	4.5 mm
NP (2.9 mmD)	3.7 mmD	CHCNP31	CHCNP33	CHCNP34
NP (2.9 mmD)	4.5 mmD	CHCNP41	CHCNP43	CHCNP44



Implant Platform	Emergence Profile	Cuff Height		
		3.0 mm	5.0 mm	7.0 mm
3.5 mmD	3.5 mmD (No Flare)	HC333	HC335	—
3.5 mmD	4.5 mmD	HC343	HC345	HC347
3.5 mmD	5.5 mmD	HC353	HC355	—
4.5 mmD	4.5 mmD (No Flare)	HC443	HC445	—
4.5 mmD	5.5 mmD	HC453	HC455	HC457
4.5 mmD	6.5 mmD	HC463	HC465	—





Prosthetics

IMPRESSION TRANSFER

Fixture Mount/Transfers

Not included with TSX Implant. Includes a Retaining Screw (URS2). Can be used as a Preparable Temporary Abutment.

Implant Platform	Emergence Profile	Item No.
3.5 mmD	4.5 mmD	FMT3
4.5 mmD	5.5 mmD	FMT4
Replacement Retaining Screw	—	URS2



Indirect Transfers (Closed-Tray Procedure)

Color-coded by implant platform. Includes a Retaining Screw (CASLT).

Implant Platform	Emergence Profile	Cuff Height		
		1.5 mm	3.0 mm	4.5 mm
NP (2.9 mmD)	3.7 mmD	CITNP31	CITNP33	CITNP34
NP (2.9 mmD)	4.5 mmD	CITNP41	CITNP43	CITNP44
Replacement Retaining Screw		CASLT	CASLT	CASLT



Color-coded by implant platform. Includes a Retaining Screw (HLTS2).

Implant Platform	Emergence Profile			
	3.5 mmD	4.5 mmD	5.5 mmD	6.5 mmD
3.5 mmD	HLT3/3	HLT3/4	HLT3/5	—
4.5 mmD	—	HLT4/4	HLT4/5	HLT4/6
3.0 mm Extension Screw for Indirect Transfer	HLTE	HLTE	HLTE	HLTE
Replacement Retaining Screw	HLTS2	HLTS2	HLTS2	HLTS2



Direct Transfers (Open-Tray Procedure)

Color-coded by implant platform. Includes a Retaining Screw (CASLC).

Implant Platform	Emergence Profile	Cuff Height		
		1.5 mm	3.0 mm	4.5 mm
NP (2.9 mmD)	3.7 mmD	CDTNP31	CDTNP33	CDTNP34
NP (2.9 mmD)	4.5 mmD	CDTNP41	CDTNP43	CDTNP44
Replacement Retaining Screw		CASLC	CASLC	CASLC



Color-coded by implant platform. Includes a Retaining Screw (DHTS).

Implant Platform	Emergence Profile			
	3.5 mmD	4.5 mmD	5.5 mmD	6.5 mmD
3.5 mmD	DHT3/3	DHT3/4	DHT3/5	—
4.5 mmD	—	DHT4/4	DHT4/5	DHT4/6
Replacement Retaining Screw	DHTS	DHTS	DHTS	DHTS



Titanium Implant Analogs for Stone Models

Color-coded by implant platform.

Implant Platform	Item No.
NP (2.9 mmD)	CIANP
3.5 mmD	IA3
4.5 mmD	IA4



PROVISIONAL RESTORATIONS

Titanium Temporary Abutment

Includes a Retaining Screw (CUAS) and a Long Processing Screw (CASLC).

Implant Platform	Emergence Profile	Item No.
NP (2.9 mmD)	3.5 mmD	CTANP31
	Replacement Retaining Screw	CUAS
	Replacement Long Processing Screw	CASLC



Plastic Temporary Abutments, Straight

Includes Retaining Screw and Processing Screw (DHTS2).

Implant Platform	Emergence Profile	Cuff Height	
		1.0 mm	4.0 mm
3.5 mmD	4.5 mmD	PT341S	PT344S
4.5 mmD	5.5 mmD	PT451S	PT454S
	Replacement Retaining Screw, Long	DHTS2	DHTS2



Plastic Temporary Abutments, Angled, 17°

Includes Retaining Screw and Processing Screw (DHTS2).

Implant Platform	Emergence Profile	Cuff Height	
		1.0 mm	4.0 mm
3.5 mmD	4.5 mmD	PT341A	PT344A
4.5 mmD	5.5 mmD	PT451A	PT454A
	Replacement Retaining Screw, Long	DHTS2	DHTS2



DIGITAL RESTORATIONS

Patient-Specific Abutments

Available in titanium.

Computer-aided design and custom-milled CAD/CAM precision.


Please contact a ZimVie Dental representative for additional information.

NOTE: Patient-Specific Abutments are only available in select markets.



Tools and Accessories

Description	Item No.
Torque Wrench, Restorative Adjustable torque range 10 Ncm – 35 Ncm	TWR
Low Torque Indicating Ratchet Wrench (Includes C9980 Latchlock Adapter)	L-TIRW
Low Torque Indicating Ratchet Wrench Standard ISO 1797 Latchlock Adapter	C9980
GemLock® Retaining Square Ratchet for Restorative Use with HX1.25, HXL1.25 and SRT	RSR



CEMENT-RETAINED RESTORATIONS

Color Coding Chart: Emergence Profile on Hex-Lock® Contour and Short Restorative Abutments/Components

Colors correspond to the abutment emergence profile on Hex-Lock Contour and Short Abutments and related Contour and Short Restorative Components.

Abutment Emergence Profile*	Color-coding
4.5 mmD	Tan
5.5 mmD	Rose

*For Hex-Lock Contour and Short Restorative components.

Hex-Lock Contour Abutments, Straight

Includes a Retaining Screw (CUAS).

Implant Platform	Emergence Profile	Cuff Height		
		1.5 mm	3.0 mm	4.5 mm
NP (2.9 mmD)	3.7 mmD*	CANP31S	CANP33S	CANP34S
NP (2.9 mmD)	4.5 mmD*	CANP41S	CANP43S	CANP44S
Replacement Retaining Screw		CUAS	CUAS	CUAS



*Contour components with 3.7 mmD Emergence Profile are not compatible with 3.5 mmD Contour Restorative Components.

Includes a Retaining Screw (MHLAS).

Implant Platform	Emergence Profile	Cuff Height		
		1.0 mm	2.0 mm	3.0 mm
3.5 mmD	4.5 mmD	ZOA341S	ZOA342S	ZOA343S
4.5 mmD	4.5 mmD	ZOA441S	ZOA442S	ZOA443S
4.5 mmD	5.5 mmD	ZOA451S	ZOA452S	ZOA453S
Replacement Retaining Screw		MHLAS	MHLAS	MHLAS



Hex-Lock Contour Abutments, Angled 17°

Includes a Retaining Screw (CUASA or CUAS).

Implant Platform	Emergence Profile	Cuff Height	
		1.5 mm	3.0 mm
NP (2.9 mmD)	3.7 mmD*	CANP31A	CANP33A
NP (2.9 mmD)	4.5 mmD**	CANP41A	CANP43A
Replacement Retaining Screw		CUASA	CUAS



Includes a Retaining Screw (AH20S).

Implant Platform	Emergence Profile	Cuff Height	
		1.0 mm	2.0 mm
3.5 mmD	4.5 mmD	ZOA341A	ZOA342A
4.5 mmD	4.5 mmD	ZOA441A	ZOA442A
4.5 mmD	5.5 mmD	ZOA451A	ZOA452A
Replacement Retaining Screw		AH20S	AH20S



Contour Abutment Try-Ins and Try-In Kit

Implant Platform	Emergence Profile	Description	Item No.
3.5 mmD	4.5 mmD	Set of 5: Various Angles, Cuff Heights	ZOAT34
4.5 mmD	5.5 mmD	Set of 5: Various Angles, Cuff Heights	ZOAT45
All	All	3 Sets of 5: All Sizes	ZOATKIT



Contour Restorative Kits

Includes 1 Contour Impression Cap, 1 Contour Waxing Coping, 1 Contour Abutment Analog (plastic), 1 Contour Provisional Coping. Choose parts to match the emergence profile of the Hex-Lock Contour Abutment being restored.

Emergence Profile	Straight	17°
4.5 mmD	ZCRKIT4S	ZCRKIT4A
5.5 mmD	ZCRKIT5S	ZCRKIT5A



Contour Provisional Copings

Emergence Profile	Straight	17°
4.5 mmD	ZCPROV4S	ZCPROV4A
5.5 mmD	ZCPROV5S	ZCPROV5A



Contour Impression Caps

Emergence Profile	Straight	17°
4.5 mmD	ZOCIMP4S	ZOCIMP4A
5.5 mmD	ZOCIMP5S	ZOCIMP5A



Contour Abutment Analogs, Titanium

Emergence Profile	Straight	Angled
4.5 mmD	TCANA4S	TCANA4A
5.5 mmD	TCANA5S	TCANA5A



Contour Waxing Copings

Emergence Profile	Straight	17°
4.5 mmD	ZOCWAX4S	ZOCWAX4A
5.5 mmD	ZOCWAX5S	ZOCWAX5A



Hex-Lock Short Abutments

Includes a Retaining Screw (MHLAS).

Implant Platform	Emergence Profile	Cuff Height	
		1.0 mm	2.0 mm
3.5 mmD	4.5 mmD	SA341	SA342
4.5 mmD	5.5 mmD	SA451	SA452
Replacement Retaining Screw		MHLAS	MHLAS



Short Restorative Kits

Includes 1 Short Impression Cap, 1 Short Waxing Coping, 1 Short Abutment Analog, 1 Short Provisional Coping. Choose parts to match the emergence profile of the Hex-Lock Short Abutment being restored.

Emergence Profile	Item No.
4.5 mmD	SARKIT4
5.5 mmD	SARKIT5



Short Provisional Copings

Emergence Profile	Item No.
4.5 mmD	SAPROVP4
5.5 mmD	SAPROVP5



Short Impression Caps

Emergence Profile	Item No.
4.5 mmD	SAIMP4
5.5 mmD	SAIMP5



Short Abutment Analogs, Titanium

Emergence Profile	Item No.
4.5 mmD	SAANA4
5.5 mmD	SAANA5



Short Waxing Copings

Emergence Profile	Item No.
4.5 mmD	SAWAX4
5.5 mmD	SAWAX5



Hex-Lock Abutments

Includes a Retaining Screw (MHLAS).

Implant Platform	Emergence Profile			
	3.5 mmD	4.5 mmD	5.5 mmD	6.5 mmD
3.5mmD	HLA3/3	HLA3/4	HLA3/5	—
4.5mmD	—	HLA4/4	HLA4/5	HLA4/6
Replacement Retaining Screw, Short	MHLAS	MHLAS	MHLAS	MHLAS
Replacement Retaining Screw, Long	HLTS2	HLTS2	HLTS2	HLTS2



Angled Abutments, 20°


Includes a Retaining Screw (CUAS).

Implant Platform	Emergence Profile	Item No.
NP (2.9 mmD)	3.5 mmD	C20A3
Replacement Retaining Screw		CUAS



Includes a Retaining Screw (AH2OS).

Implant Platform	Emergence Profile	Item No.
3.5 mmD	4.5 mmD	AH20/4
4.5 mmD	5.5 mmD	AH20W/5
Replacement Retaining Screw	—	AH2OS



"CAST-TO" GOLD RESTORATIONS

"Cast-To" Gold Abutments, Engaging

Includes a Retaining screw (CUAS).

Implant Platform	Emergence Profile	Item No.
NP (2.9 mmD)	3.5 mmD	CEANP31
	Replacement Retaining Screw	CUAS
	Long Processing Screw	CASLC



Includes Retaining Screw (MHLAS).

Implant Platform	Item No.
3.5 mmD	HLA3G
4.5 mmD	HLA4G
Replacement Retaining Screw	MHLAS
Waxing Screw for "Cast-To" Abutments	MTWSD



"Cast-To" Gold Abutments, Non-Engaging

Includes Retaining Screw (MHLAS).

Implant Platform	Item No.
3.5 mmD	NEA3G
4.5 mmD	NEA4G
Replacement Retaining Screw	MHLAS



SCREW-RETAINED RESTORATIONS

Tapered Abutments

Tapered Abutments are for multiple-unit, screw-retained restorations. Abutments do not engage internal hex connection. Not for use in single-unit. Includes a Healing Cap (TATHC).

Implant Platform	Cuff Height				
	0.75 mm	2.0 mm	3.0 mm	4.0 mm	5.0 mm
3.5 mmD	TAC1	TAC2	TAC3	TAC4	TAC5
4.5 mmD	TACW1	TACW2	TACW3	TACW4	TACW5



Angled Tapered Abutment, 15°

Angled Tapered Abutments are for multiple-unit, screw-retained restorations. Abutment retaining screw is preassembled in the abutment. Each abutment includes an abutment delivery tool.

Implant Platform	Cuff Height		
	1.0 mm/2.0 mm	2.0 mm/3.0 mm	3.0 mm/4.0 mm
3.5 mmD	15AT312	15AT323	15AT334
4.5 mmD	15AT412	15AT423	15AT434



Angled Tapered Abutment, 30°

Angled Tapered Abutments are for multiple-unit, screw-retained restorations. Abutment retaining screw is preassembled in the abutment. Each abutment includes an abutment delivery tool.

Implant Platform	Cuff Height		
	2.0 mm/4.0 mm	3.0 mm/5.0 mm	4.0 mm/6.0 mm
3.5 mmD	30AT324	30AT335	30AT346
4.5 mmD	30AT424	30AT435	30AT446



Tapered Abutment Healing Cap

Healing Cap threads onto the Tapered Abutment and Angled Tapered Abutment.

Description	Item No.
Tapered Abutment Titanium Healing Cap	TATHC



Tapered Abutment Transfer Components

Transfers thread onto the Tapered Abutment and Angled Tapered Abutments for impression-taking. This method transfers the abutment position.

Description	Item No.
Tapered Abutment Direct Transfer, Open-Tray Includes Transfer Screw (SCDTS)	ACTDT
Tapered Abutment Indirect Transfer, Closed-Tray	ACTIT
Tapered Abutment Replica	ACTR



Tapered Abutment Copings, Sheaths and Bar Systems

The copings listed below fit over the Tapered Abutment and Angled Tapered Abutment and are secured with a Coping Screw.

Description	Height/ Length	Item No.
Tapered Abutment Gold Coping Includes Screw (SCTS)	—	ACTGC
Titanium Temporary Coping Includes Screw (SCTS)	9.5mm	ACTT
Plastic Castable Coping Includes Screw (SCTS)	5.0mm	ACTP
Bar Gold Coping Includes Screw (SCTS)	3.0mm	TGC3
Bar Gold Coping, Long Includes Screw (SCTS)	5.0mm	TGC5
Titanium Bar Coping Includes Screw (SCTS)	5.0mm	TTC5
Replacement Screw for Copings	—	SCTS
Tapered Abutment Waxing Screw	12mm	SCWS



OVERDENTURE RESTORATIONS

OverdenSURE® Removable Attachment System

Collar Height	Implant Platform	
	3.5 mmD	4.5 mmD
1.0 mm	ODS-TSV301	ODS-TSV401
2.0 mm	ODS-TSV302	ODS-TSV402
3.0 mm	ODS-TSV303	ODS-TSV403
4.0 mm	ODS-TSV304	ODS-TSV404
5.0 mm	ODS-TSV305	ODS-TSV405
6.0 mm	ODS-TSV306	ODS-TSV406



Retention Kit ODS-RIKIT2001 included. Available in all active geographies except the U.S.

OverdenSURE Tools and Accessories

Impression Coping Qty 1	ODS-IC01		Red Retention Insert 40° Qty 4	ODS-RIR4004	
Impression Coping Qty 4	ODS-IC04		Yellow Retention Insert 40° Qty 4	ODS-RIY4004	
Impression Coping Qty 10	ODS-IC010		Green Retention Insert 40° Qty 4	ODS-RIG4004	
Analog Qty 1	ODS-AA01		Retention Housing Cap Qty 1	ODS-RH01	
Analog Qty 4	ODS-AA04		Retention Housing Cap Qty 4	ODS-RH04	
Analog Qty 10	ODS-AA010		Retention Housing Cap Qty 10	ODS-RH010	
Retention Kit 20° Qty 1 Set	ODS-RIKIT2001		Blockout Spacer Qty 20	ODS-BS020	
Retention Kit 20° Qty 2 Sets	ODS-RIKIT2002		Abutment Driver	ODS-DRVR	
Retention Kit 40° Qty 1 Set	ODS-RIKIT4001		Removal and Insertion Tool	ODS-IRTOOL	
Retention Kit 40° Qty 2 Sets	ODS-RIKIT4002		Abutment Bar Attachment Qty 1	ODS-BARATT01	
Blue Retention Insert 20° Qty 4	ODS-RIB2004		Abutment Bar Attachment Qty 2	ODS-BARATT02	
Pink Retention Insert 20° Qty 4	ODS-RIP2004		Abutment Bar Attachment Qty 4	ODS-BARATT04	
Clear Retention Insert 20° Qty 4	ODS-RIC2004				

Ball Abutments

Abutments do not engage internal hex connection. Includes Cap Attachment Housing and Nylon Liner.

Implant Platform	Cuff Height		
	2.0 mm	4.0 mm	6.0 mm
NP (2.9 mmD)	CBANP2	CBANP4	CBANP6
3.5 mmD	BAC2	BAC4	BAC6
4.5 mmD	BACW2	BACW4	BACW6




Ball Abutment Transfer Components

Description	Item No.
Ball Abutment Transfer (Qty. 2)	BAT
Ball Abutment Replica	BAR



Prosthetic Components

Description	Item No.
Cap Attachment Housing (CAH) / Cap Attachment Nylon Liner (CAN)	CA
Cap Attachment Housing	CAH
Cap Attachment Nylon Liner, Transparent	CAN
Cap Attachment Nylon Liner, Gray – Rigid Retention	CAN-G
Cap Attachment Transfer, Yellow	CAT
Castable Ball Pattern, 2 balls per pattern	CAB
Micro Cap Attachment Nylon Liner	CANM



PROSTHETIC TOOLS

Torque Wrenches and Ratchets

Description	Item No.
Torque Wrench, Restorative Adjustable torque range 10 Ncm – 35 Ncm	TWR
Low Torque Indicating Ratchet Wrench (Includes C9980 Latchlock Adapter)	L-TIRW
Low Torque Indicating Ratchet Wrench Standard ISO 1797 Latchlock Adapter	C9980
GemLock Retaining Square Ratchet for Restorative Use with HX1.25, HXL1.25 and SRT	RSR



NOTE: Do not tighten surgical and prosthetic screws beyond the recommended torque indicated in the technique manual and/or IFU.

Hex Drivers 1.25 mmD for Surgical and Prosthetic Screws

Description	Mode of Use	Item No.
Hex Driver, Short, with GemLock Retention, 1.25 mmD, 22 mmL	Hand	HXGR1.25
Hex Driver, Long, with GemLock Retention, 1.25 mmD, 30 mmL	Hand	HXLGR1.25
Latch-Lock Hex Driver for Surgical and Prosthetic Screws, Short, 1.25 mmD, 23 mmL; May require Reduction Handpiece	Handpiece, L-TIRW	HX1.25D
Latch-Lock Hex-Driver for Surgical and Prosthetic Screws, Long, 1.25 mmD, 26 mmL; May require Reduction Handpiece	Handpiece, L-TIRW	HXL1.25D
Torque Wrench Hex Driver, Short, 1.25 mmD, 17 mmL	TWR	TW1.25
Torque Wrench Hex Driver, Long, 1.25 mmD, 22 mmL	TWR	TW1.25L
Hex Driver, Short, Standard, 1.25 mmD, 17 mmL	RSR	HX1.25
Hex Driver, Long, Standard, 1.25 mmD, 22 mmL	RSR	HXL1.25




Removal Tools

Description	Mode of Use	Item No.
Removal Tool for NP (2.9mmD) Abutments	Hand or RSR	CLRT2
Removal Tool for Internal Hex Implant Abutments Included in TSV Surgical Kits TSVKIT and STRKIT	Hand or RSR	TLRT2
Removal Tool for Abutment Screws or Fixation Screws with 1.25 mmD Hex, Carbide Steel Note: Do not autoclave	RSR	SRT



Additional Prosthetic Tools and Accessories



Description	Item No.
Prosthetic Kit Tray, Autoclavable, empty	2320
Abutment Holder Requires Implant Analog to attach abutments	ABTH




Surgical Kits and Instrumentation


INSTRUMENT KIT SYSTEM OVERVIEW

Tapered Screw-Vent Surgical Kit (TSVKITG)





NOTE: TSV Taps not utilized with TSX Implant



 For maximum cutting efficiency, replace drills frequently.

NP Surgical Module for 3.1mmD TSX Implant (NPMODG)

Note: NPMODG Tap not used with TSX Implant



The NP Surgical Module snaps into the Surgical Kit

TAPERED SCREW-VENT SURGICAL KIT

Tapered Screw-Vent Surgical Kit, Complete

Description	Item No.
Tapered Screw-Vent Surgical Kit For placement of 3.7 mmD, 4.1 mmD, 4.7 mmD, and 6.0 mmD TSX, Trabecular Metal and Tapered Screw-Vent Implants	TSVKITG
TSV Surgical Tray, Empty	TSVTRAYG
2.1/1.6 mmD Tapered Pilot Drill, 8 mmL – 11.5 mmL	0201G
2.0 mmD Round Bur	1203G
2.3 mmD Dríva Gold Series Drill, 16 mmL	TSV23SG
2.3 mmD Dríva Gold Series Drill, 22 mmL	TSV23G
2.8 mmD Dríva Gold Series Drill, 16 mmL	TSV28SG
2.8 mmD Dríva Gold Series Drill, 22 mmL	TSV28G
3.4/2.8 mmD Dríva Gold Series Step Drill, 16 mmL	TSV34D28SG
3.4/2.8 mmD Dríva Gold Series Step Drill, 22 mmL	TSV34D28G
3.4 mmD Dríva Gold Series Drill, 16 mmL	TSV34SG
3.4 mmD Dríva Gold Series Drill, 22 mmL	TSV34G
3.8/3.4 mmD Dríva Gold Series Step Drill, 16 mmL	TSV38D34SG
3.8/3.4 mmD Dríva Gold Series Step Drill, 22 mmL	TSV38D34G
3.8 mmD Dríva Gold Series Drill, 16 mmL	TSV38SG
3.8 mmD Dríva Gold Series Drill, 22 mmL	TSV38G
4.4/3.8 mmD Dríva Gold Series Step Drill, 16 mmL	TSV44D38SG
4.4/3.8 mmD Dríva Gold Series Step Drill, 22 mmL	TSV44D38G
5.1 mmD Dríva Gold Series Drill, 16 mmL	TSV51SG
5.1 mmD Dríva Gold Series Drill, 22 mmL	TSV51G
5.7/5.1 mmD Dríva Gold Series Step Drill, 16 mmL	TSV57D51SG
5.7/5.1 mmD Dríva Gold Series Step Drill, 22 mmL	TSV57D51G
3.7 mmD Cortical Bone Tap Tool	TT3.7
4.1 mmD Cortical Bone Tap Tool	TT4.1
4.7 mmD Cortical Bone Tap Tool	TT4.7
6.0 mmD Cortical Bone Tap Tool	TT6.0
1.25 mmD Hex Driver, Short, with GemLock Retention, 22 mmL	HXGR1.25
1.25 mmD Hex Driver, Long, with GemLock Retention, 30 mmL	HXLGR1.25
1.25 mmD Hex Driver, Short, 17 mmL	HX1.25
1.25 mmD Hex Driver, Long, 22 mmL	HXL1.25
1.25 mmD Latch-Lock Hex Driver, 23 mmL	HX1.25D
2.5 mmD GemLock Retaining Hex Driver, Short, 17 mmL	RH2.5
2.5 mmD GemLock Retaining Hex Driver, Long, 28 mmL	RHL2.5
2.5 mmD GemLock Retaining Hex Driver, 21 mmL	RHD2.5
3.0 mmD Hex Driver, Short, 17 mmL*	HX3.0-S
3.0 mmD Hex Driver, Long, 28 mmL*	HXL3.0-S
3.0 mmD Hex Driver, 25 mmL*	HX3.0D
Drill Extender	DEG
Paralleling Tool (Qty. 4)	PPAR
GemLock Retaining Square Ratchet	RSR
Screwdriver Handle with Square Connection	SSHS
Removal Tool for Internal Hex Implant Abutments	TLRT2
Tapered Screw-Vent Staging Block	TSVBKLG



NOTE: Drills marked in blue are included in TSVTRAYDG on page 23.

*3.0 mmD Hex Drivers not utilized with TSX Implant.

Tapered Screw-Vent Surgical Kit, Partial Configurations

Description	Item No.
Tapered Screw-Vent Starter Kit For placement of 3.7 mmD and 4.7 mmD Implants only	STRKITG
2.1/1.6 mmD Drill, 8 mmL – 11.5mmL	O201G
2.3 mmD Dríva Gold Series Surgical Drill, Instrument Kit System, 22 mmL	TSV23G
2.8 mmD Dríva Gold Series Surgical Drill, Instrument Kit System, 22 mmL	TSV28G
3.4/2.8 mmD Dríva Gold Series Surgical Step Drill, Instrument Kit System, 22 mmL	TSV34D28G
3.8 mmD Dríva Gold Series Surgical Drill, Instrument Kit System, 22 mmL	TSV38G
4.4/3.8 mmD Dríva Gold Series Surgical Step Drill, Instrument Kit System, 22 mmL	TSV44D38G
1.25 mmD Hex Driver, Short, with GemLock Retention, 22 mmL	HXGR1.25
1.25 mmD Hex Driver, Long, with GemLock Retention, 30 mmL	HXLGR1.25
1.25 mmD Hex Driver, Short, 17 mmL	HX1.25
2.5 mmD GemLock Retaining Hex Driver, Long, 28 mmL	RHL2.5
2.5 mmD GemLock Retaining Hex Driver, 21 mmL	RHD2.5
Drill Extender	DEG
Paralleling Tool (Qty. 4)	PPAR
GemLock Retaining Square Ratchet	RSR
Screwdriver Handle with Square Connection	SSHS
Removal Tool for Internal Hex Implant Abutments	TLRT2
3.7 mmD Cortical Bone Tap Tool	TT3.7
4.7 mmD Cortical Bone Tap Tool	TT4.7
Tapered Screw-Vent Staging Block	TSVBKLG
TSV Surgical Tray, Empty	TSVTRAYG
Surgical Tray and Drills for Trabecular Metal and Tapered Screw-Vent Implants Includes TSVTRAYG, TSVBLKG and drills marked in blue on page 22	TSVTRAYDG
Tapered Screw-Vent Staging Block Block only	TSVBKLG



NP Surgical Module

Description	Qty.	Item No.
NP Surgical Module (To be inserted into TSVKITG). Includes:	1 Ea.	NPMODG
NP Surgical Module (Tray Only)		NPTRAYG
2.4 mmD Dríva Drill, 22 mmL		EZT24G
2.8/2.4 mmD Dríva Step Drill, 22 mmL		EZT28D24G
3.0 mmD Cortical Bone Tap Tool		ZOPTT30
2.1 mm GemLock Hex Drill, Latch Lock, Short		CHD2.1
2.1 mm GemLock Hex Drill, Latch Lock, Long		CHDL2.1
2.1 mm GemLock Hex Tool, Ratchet, Short		CHR2.1
2.1 mm GemLock Hex Tool, Ratchet, Long		CHRL2.1
Removal Tool for Eztetic Abutments		CLRT2



DRIVA GOLD SERIES SURGICAL DRILLS

Surgical Pilot Drills

Diameter	15 mmL'	16 mmL'	19 mmL	22 mmL'	25 mmL
2.1/1.6 mmD	0201G	—	—	—	—



Driva Surgical Drills

Diameter	15 mmL'	16 mmL'	19 mmL	22 mmL'	25 mmL
2.3 mmD	—	TSV23SG	STR23D19	TSV23G	STR23D25
2.4 mmD	—	—	—	EZT24G	—
2.8 mmD	—	TSV28SG	STR28D19	TSV28G	STR28D25
3.4 mmD	—	TSV34SG	STR34D19	TSV34G	STR34D25
3.8 mmD	—	TSV38SG	STR38D19	TSV38G	STR38D25
5.1 mmD	—	TSV23SG	—	TSV51G	—



Driva Surgical Step Drills



Diameter	16 mmL'	19 mmL	22 mmL'	25 mmL	Color Code
2.8/2.4 mmD	—	—	EZT28D24G	—	—
3.4/2.8 mmD	TSV34D28SG	STP34D19	TSV34D28G	STP34D25	Green
3.8/3.4 mmD	TSV38D34SG	STP38D19	TSV38D34G	STP38D25	White
4.4/3.8 mmD	TSV44D38SG	STP44D19	TSV44D38G	STP44D25	Purple
5.1/4.4 mmD	TSV51D44SG**	—	TSV51D44G**	—	—
5.7/5.1 mmD	TSV57D51SG	—	TSV57D51G	—	Yellow



*The 15 mmL, 16 mmL and 22 mmL Drills feature axial stripes to help identify use with the Drill Stop Kit.

**TSV51D44SG and TSV51D44G are the final drills for the 5.4 mmD TSX Implant in dense bone, are optional interim drills in the 6.0 mmD drilling sequence and are sold separately and not in surgical kits.

The depth markings are machined and laser-etched for increased visibility. The bands are located approximately 1.25 mm longer than the implant-abutment junction. (For example: the 13 mm band is dimensioned 14.25 mm from the tip of the drill).



Single-Patient Drills

Description	Qty.	Item No.
Drill Kit, Single-Patient, Long 3.7 mmD Implant, 17 mmL	Round Bur 2.3 mmD Pilot Drill 3.4/2.8 mmD Step Drill	DSTK3
Drill Kit, Single-Patient, Short 3.7 mmD Implant, 11 mmL	Round Bur 2.3 mmD Pilot Drill 3.4/2.8 mmD Step Drill	DSTK3S
Drill, Single-Patient, Long 4.7 mmD Implant, 17 mmL	4.4/3.8 mmD Step Drill	DST4
Drill, Single-Patient, Short 4.7 mmD Implant, 11 mmL	4.4/3.8 mmD Step Drill	DST4S
Drill, Single-Patient, Long 6.0 mmD Implant, 17 mmL	5.7/5.1 mmD Step Drill	DST6
Drill, Single-Patient, Short 6.0 mmD Implant, 11 mmL	5.7/5.1 mmD Step Drill	DST6S

Note: No internal irrigation. Kits with long drills have depth markings for 8, 10, 11.5, 13 and 16 mmL implants. Kits with short drills have depth markings for 8 and 10 mmL implants.

Implant Placement Instruments

Description	Item No.
High Torque Indicating Ratchet Wrench	ZTIRW
GemLock Retaining Square Ratchet	RSR
Stainless Steel Screwdriver Handle	SSHS




Hex Drivers 1.25 mmD

Description	Mode of Use	Item No.
Hex Driver, Short, for Tightening of Surgical and Prosthetic Screws, 17 mmL	Hand	HXGR1.25
Hex Driver, Long, for Tightening of Surgical and Prosthetic Screws, 22 mmL	Hand	HXLGR1.25
Hex Driver, Short, with GemLock Retention, 22 mmL	Handpiece, L-TIRW	HX1.25D
Hex Driver, Long, with GemLock Retention, 30 mmL	Handpiece, L-TIRW	HXL1.25D
Latch-Lock Hex Driver for Surgical and Prosthetic Screws, Short, 23 mmL May require Reduction Handpiece	RSR	HX1.25
Latch-Lock Hex Driver for Surgical and Prosthetic Screws, Long, 26 mmL; May require Reduction Handpiece	RSR	HXL1.25




Hex Drivers 2.1mmD for 3.1mmD TSX Implant Placement

Description	Mode of Use	Item No.
2.1mm GemLock Hex Drill, Latch Lock, Short	ZTIRW, RSR, SSHS	CHR2.1
2.1mm GemLock Hex Drill, Latch Lock, Long	ZTIRW, RSR, SSHS	CHRL2.1
2.1mm GemLock Hex Tool, Ratchet	Handpiece	CHD2.1
2.1mm GemLock Hex Tool, Ratchet	Handpiece	CHDL2.1





Hex Drivers 2.5mmD for 3.7 to 6.0mmD TSX Implant Placement

Description	Mode of Use	Item No.
2.5mm GemLock Retaining Hex Driver, Short, 17mmL	ZTIRW, RSR, SSHS	RH2.5
2.5mm GemLock Retaining Hex Driver, Long, 21mmL	ZTIRW, RSR, SSHS	RHL2.5
2.5mm GemLock Retaining Hex Drill, Latch Lock, 28mmL	Handpiece	RHD2.5



Surgical Instruments

Description	Item No.
Drill Extender	DEG
Paralleling Tool	PPAR
Round Bur	1203G
Removal Tool for Screw-Type Implants, Carbide Steel Note: Do not autoclave	IRT



GUIDED SURGERY INSTRUMENTATION

TSX implants can be placed in a fully-guided fashion utilizing the RealGUIDE Z3D Guided Surgery Kit and instrumentation shown on pages 27–28. Information on the partially-guided surgical module for TSVKITG can be found on page 29.

Fully Guided RealGUIDE™ Z3D Guided Surgery Kit*

Product	Item No.
RealGUIDE Kit Z3D Surgical Kit (fully loaded)	3DM0070Z
Autoclavable Kit RealGUIDE Z3D Box	3DM00616Z

*Not approved in all markets.



Configuration

Product	Item No.
Drill for Fixation Pin max. 1,000 rpm, hardened stainless steel AISI 420B with DLC coating	3DM00610Z
Fixation Pin TiAl6V4 ASTM F136	3DM00609Z
Torque Wrench Extension max. 50 Ncm, hardened stainless steel AISI 420F MOD	3DM00623Z
4 × 4 Square Connector for handpiece max. 50 Ncm, hardened stainless steel AISI 420F MOD	3DM00612Z
Mouth Opening Gauge / Bite Gauge hardened stainless steel AISI 303	3DM00622Z
Mucotome / Tissue Punch Internal diameter: 4.2 mm, max. 100 rpm, hardened stainless steel AISI 420F MOD with DLC coating	3DM00607Z
Bone Crest Leveler max. 600 rpm, hardened stainless steel AISI 420B with DLC coating	3DM00614Z
Start Drill Implant site preparation drill, max. 600 rpm, hardened stainless steel AISI 420B with DLC coating	3DM00621Z
Drill 2.4 × 6 mmD max. 800 rpm, hardened stainless steel AISI 420B with DLC coating	3DM00619Z



FULLY GUIDED Z3D KIT COMPONENTS

RealGUIDE Z3D Implant Mounts (hardened stainless steel AISI 420F MOD)

Product	Item No.
ZimVie TSX/Eztetic 3.1mmD incl. screw, max. 20 rpm, 50 Ncm	3DM00606ZIM31
ZimVie TSX 3.7/4.1/4.7 mmD, ZimVie TSV 3.7/4.1 mmD incl. screw, max. 20 rpm, 50 Ncm	3DM00606ZIM35
ZimVie TSV 4.7 mmD incl. screw, max. 20 rpm, 50 Ncm	3DM00606ZIM47



RealGUIDE Z3D Drills (hardened stainless steel AISI 420B with DLC coating)

Length	Drill 2.4 mmD	Double Diameter Drill 2.8 / 2.4 mmD	Double Diameter Drill 3.4 / 2.8 mmD	Double Diameter Drill 3.8 / 3.4 mmD	Double Diameter Drill 4.4 / 3.8 mmD
--------	------------------	--	--	--	--

max. 800 rpm



8 mm	3DM00613.24.080Z	3DM00613.28.080Z	3DM00613.34.080Z	3DM00613.38.080Z	3DM00613.44.080Z
10 mm	3DM00613.24.100Z	3DM00613.28.100Z	3DM00613.34.100Z	3DM00613.38.100Z	3DM00613.44.100Z
11.5 mm	3DM00613.24.115Z	3DM00613.28.115Z	3DM00613.34.115Z	3DM00613.38.115Z	3DM00613.44.115Z
13 mm	3DM00613.24.130Z	3DM00613.28.130Z	3DM00613.34.130Z	3DM00613.38.130Z	3DM00613.44.130Z
16 mm	3DM00613.24.160Z	3DM00613.28.160Z	3DM00613.34.160Z	3DM00613.38.160Z	3DM00613.44.160Z

RealGUIDE Z3D Accessories

Product	Item No.
Surgical Guide Sleeve RG CAD Procedure 5.05 mm, compatible 3DM RG, ZimVie RealGUIDE Z3D Kit, Nobel RP Kit (10 pcs)	3DM00670
Surgical Guide Pin Fixation Sleeve RG CAD Procedure (10 pcs)	3DM00671

Partially Guided Surgery Instrumentation

Description	Item No.
Guided Surgery Drill Module Can be inserted into the TSVKITG for an all-in-one Guided Surgery Kit	GSMOD
2.3mmD Dríva EG Surgical Drill, 19 mmL	STR23D19
2.3mmD Dríva EG Surgical Drill, 25 mmL	STR23D25
2.8/2.4 mmD Dríva EG Surgical Step Drill, 19 mmL	STP28D19
2.8/2.4 mmD Dríva EG Surgical Step Drill, 25 mmL	STP28D25
2.8mmD Dríva EG Surgical Drill, 19 mmL	STR28D19
2.8mmD Dríva EG Surgical Drill, 25 mmL	STR28D25
3.4/2.8mmD Dríva EG Surgical Step Drill, 19 mmL	STP34D19
3.4/2.8mmD Dríva EG Surgical Step Drill, 25 mmL	STP34D25
3.4mmD Dríva EG Surgical Drill, 19 mmL	STR34D19
3.4mmD Dríva EG Surgical Drill, 25 mmL	STR34D25
3.8/3.4 mmD Dríva EG Surgical Step Drill, 19 mmL	STP38D19
3.8/3.4 mmD Dríva EG Surgical Step Drill, 25 mmL	STP38D25
3.8mmD Dríva EG Surgical Drill, 19 mmL	STR38D19
3.8mmD Dríva EG Surgical Drill, 25 mmL	STR38D25
4.4/3.8mmD Dríva EG Surgical Step Drill, 19 mmL	STP44D19
4.4/3.8mmD Dríva EG Surgical Step Drill, 25 mmL	STP44D25



Can be inserted into Tapered Screw-Vent Surgical Kit (TSVKITG)



Guided Surgery Module Insert (Empty)	GSTRAY
Tube Adapter Kit* Includes 1 of each Tube Adapter listed below; EG Drills are used with Tube Adapter Kit;	TADKIT
2.3mmD Tube Adapter, A	TAD23A
2.8mmD Tube Adapter, A	TAD28A
3.4mmD Tube Adapter, A	TAD34A
2.3mmD Tube Adapter, B	TAD23B
2.8mmD Tube Adapter, B	TAD28B
3.4mmD Tube Adapter, B	TAD34B
3.8mmD Tube Adapter, B	TAD38B
4.4mmD Tube Adapter, B	TAD44B



*For use with Dríva EG Drills and Dríva Drills with axial stripe.

Drill Stop Kit*

Description	Item No.
Complete Drill Stop Kit (Drills not included)	DSKIT
Stop Set, 8.0 mmL Implant, 2.3 - 4.4/3.8 mmD x 17/22 mmL Dríva Drill (Qty. 5)	SS8D22
Stop Set, 10 mmL Implant, 2.3 - 4.4/3.8 mmD x 17/22 mmL Dríva Drill (Qty. 5)	SS10D22
Stop Set, 11.5 mmL Implant, 2.3 - 4.4/3.8 mmD x 17/22 mmL Dríva Drill (Qty. 5)	SS11D22
Stop Set, 13 mmL Implant, 2.3 - 4.4/3.8 mmD x 17/22 mmL Dríva Drill (Qty. 5)	SS13D22
Stop Set, 8 mmL Implant, 2.3 - 4.4/3.8 mmD x 11/16 mmL Dríva Drill (Qty. 5)	SS8D16
Stop Set, 10 mmL Implant - 11/16 mmL Dríva Drill and 16 mmL Implant - 17/22 mmL Dríva Drill, 2.3 - 4.4/3.8 mmD Dríva Drill (Qty. 5)	SS10D16
Stop Set, 11.5 mmL Implant, 2.3 - 4.4/3.8 mmD x 11/16 mmL Dríva Drill (Qty. 5)	SS11D16
Stop Set, 8 - 16 mmL Implant, 5.1 mmD x 11/16 mmL & 17/22 mmL Dríva Drill (Qty. 7)	SS51D
Stop Set, 8 - 16 mmL Implant, 5.7/5.1 mmD x 11/16 mmL & 17/22 mmL Dríva Drill (Qty. 7)	SS57D
Drill Stop Multi-Tool	MTL



BONE PROFILERS

Bone Profilers for Encode® Healing Abutments

Restorative Platform	Emergence Profile	TSV Encode Healing Abutment	TSV/TM Connection
3.5 mm	3.8 mm	TEHA3383/TEEHA333	BPT3545
		TEHA3385/TEEHA335	
		TEHA3387/TEEHA337	
	5.0 mm	TEHA3503/TEEHA353	BPT3555
TEHA3505/TEEHA355			
4.5 mm	5.0 mm	TEHA4503	BPT4555
		TEHA4505	
	5.6 mm	TEHA4563/TEEHA453	BPT4565
		TEHA4565/TEEHA455	
		TEHA4567/TEEHA457	
	6.0 mm	TEHA4603/TEEHA463	BPT4565
TEHA4605/TEEHA465			

Bone Profilers for TSX Implants

Restorative Platform	Emergence Profile	Eztetic Connection
2.9 mm	3.7 mm	BPE2937
	4.5 mm	BPE2945



Bone Profilers for TSX Implants

Restorative Platform	Emergence Profile	TSV/TM Connection
3.5 mm	3.7 mm	BPT3535
	4.5 mm	BPT3545
	5.5 mm	BPT3555
4.5 mm	4.5 mm	BPT4545
	5.5 mm	BPT4555
	6.5 mm	BPT4565



Note: Can be used for Tapered Abutments



Contact us by phone at
0800 652 1233 (UK)/1 800 552 752 (Ireland)
or visit **ZimVie.com/dental**

ZimVie Dental Global Headquarters

4555 Riverside Drive
Palm Beach Gardens, FL 33410
Phone: +1-561-776-6700
Fax: +1-561-776-1272
dentalCS@ZimVie.com

Biomet 3i (UK & Ireland) Ltd

Reading Business Centre
Suite 807, 8th Floor Fountain House
2 Queens Walk, Reading, Berks
RG1 7QF, United Kingdom
Phone (UK): 0800 652 1233
Phone (Ireland): 1 800 552 752
ZV.UKorders@ZimVie.com



Unless otherwise indicated, as referenced herein, all trademarks and intellectual property rights are the property of ZimVie Inc. or an affiliate; and all products are manufactured by one or more of the dental subsidiaries of ZimVie Inc. (Biomet 3i, LLC, Zimmer Dental, Inc., etc.) and marketed and distributed by ZimVie Dental and its authorized marketing partners. ZimVie is an authorized distributor of iTero Products which are manufactured by Align Technology, Inc. Invisalign, iTero, iTero Element, the iTero logo, among others, are the trademarks and/or service marks of Align Technology, Inc. or one of its subsidiaries or affiliated companies and may be registered in the U.S. and/or other countries. For additional product information, please refer to the individual product labeling or instructions for use. Product clearance and availability may be limited to certain countries/regions. This material is intended for clinicians only and does not comprise medical advice or recommendations. Distribution to any other recipient is prohibited. This material may not be copied or reprinted without the express written consent of ZimVie. ZVINST0037 REV B 02/23 ©2023 ZimVie. All rights reserved.

