



Azure™ Tapered Bone Level Implant System



Azure Tapered Bone Level Surgical Kit

92016
MT



Azure Tapered Bone Level Surgical Kit




Table of Contents

Implants	4
Color Coding and Connection Compatibility	4
Azure Tapered Bone Level (TBL) Implants	4
Restorative Solutions	5
Healing Components	5
Impression Transfer	5
Temporary Cylinders	6
Digital Components	7
Cement-Retained	8
Screw Retained	9
OverdenSURE® Removable Attachment System	10
Replacement Screws	12
Restorative Tools	13
Prosthetic Tools	13
Specialty Tools	14
Surgical Kit and Instrumentation	15
Surgical Kit Layout	16
Drills	18
Instrumentation	19
Guided Surgical Kit and Instrumentation	21
Guided Surgical Kit Layout	22
Instrumentation	24
Restorative Reference Guide	28



Azure Tapered Bone Level Implants

Color Coding and Connection

Surgical	Implant and Platform Diameter	Ø3.3 mm	Ø4.1 mm	Ø4.8 mm
Restorative	SBL-Conical Connection	 NC	 RC	 RC

NC = Narrow Connection, RC = Regular Connection

Azure Tapered Bone Level Implants


Implants	Ø3.3 mm (P)	Ø4.1 mm (P)	Ø4.8 mm (P)
	NC	RC	RC
<i>Implant-Lengths</i>			
8 mm (L)	AITBL-IMP3308	AITBL-IMP4108	AITBL-IMP4808
10 mm (L)	AITBL-IMP3310	AITBL-IMP4110	AITBL-IMP4810
12 mm (L)	AITBL-IMP3312	AITBL-IMP4112	AITBL-IMP4812
14 mm (L)	AITBL-IMP3314	AITBL-IMP4114	AITBL-IMP4814
16 mm (L)	AITBL-IMP3316	AITBL-IMP4116	AITBL-IMP4816



Restorative Solutions

Azure Tapered Bone Level Implants are compatible with Azure SBL-CONICAL restorative components.

- The Conical Cross Connection engages the prosthetic component for easy alignment.



Healing Components

Healing Abutments	Ø3.3 mm (P)	Ø4.1/4.8 mm (P)	Ø4.8 mm (P)
	NC	RC	Multi-Unit
<i>Cuff Height</i>			
3 mm	ARSBL-HA333	ARSBL-HA413	–
4 mm	ARSBL-HA334	ARSBL-HA414	–
4.25 mm	–	–	UMUA-HC*
5 mm	ARSBL-HA335	ARSBL-HA415	–



*Use 1.27 mm Hex Driver

Cover Screws*	Ø3.3 mm (P)	Ø4.1/4.8 mm (P)
	NC	RC
	ASTBL-CSNC33	ASTBL-CSRC4





*Cover Screws are sold separately and not included with implants.

Impression Transfer

Scan Bodies*	3.3 mm (P)	4.1/4.8 mm (P)	4.8 mm (P)
	NC	RC	Multi-Unit
<i>Implant-Level</i>	ARSBL-ISB33	ARSBL-ISB41	–
<i>Abutment-Level</i>	–	–	ARMU-ISB48



	*Use with manual tool ARA-ISBPD (not included)
	OPTIONAL: Scan Body Extender ARA-EXTISA (not included)

Impression Transfer (cont'd)

Traditional Impression Transfers		3.3 mm (P)	4.1/4.8 mm (P)	4.8 mm (P)
		NC	RC	Multi-Unit
Open or Closed Tray		ARSBL-ICD33*	ARSBL-ICD41*	ARMU-ICOT48*
Closed Tray Only	5 mm (H)	–	–	ARMU-ICCT485
Closed Tray Only	8 mm (H)	–	–	ARMU-ICCT488

* Transfers include two screws (for open and closed tray).



Digital Analogs*		3.3 mm (P)	4.1/4.8 mm (P)	4.8 mm (P)
		NC	RC	Multi-Unit
		ARSBL-DA33	ARSBL-DA41	ARMU-DA48

* Includes 1.27 mm Hex retention screw to attach to model.



Stone Analogs		3.3 mm (P)	4.1/4.8 mm (P)	4.8 mm (P)
		NC	RC	Multi-Unit
		ARSBL-SA33	ARSBL-SA41	ARMU-SA48

10-packs available



Temporary Cylinders



Temporary Cylinders*		3.3 mm (P)	4.1/4.8 mm (P)	4.8 mm (P)
		NC	RC	Multi-Unit
Ti	○	ARSBL-TCNH33	ARSBL-TCNH41	ARMU-TC48TBS
Ti	⬡	ARSBL-TCH33	ARSBL-TCH41	–

* Screw included.




Digital Components

Titanium Ti-Bases, Straight* (Ti-Base-T)

			3.3 mm (P)	4.1/4.8 mm (P)	4.8 mm (P)	
			NC	RC	Multi-Unit	
Gingival Height	Chimney Height					
1.2 mm	4.2 mm	○	ARSBL-TBTNH3312	ARSBL-TBTNH4112	–	
2.0 mm	4.2 mm	○	ARSBL-TBTNH332	ARSBL-TBTNH412	–	
3.0 mm	4.2 mm	○	ARSBL-TBTNH333	ARSBL-TBTNH413	–	
1.2 mm	4.2 mm	⬡	ARSBL-TBTH3312	ARSBL-TBTH4112	–	
2.0 mm	4.2 mm	⬡	ARSBL-TBTH332	ARSBL-TBTH412	–	
3.0 mm	4.2 mm	⬡	ARSBL-TBTH333	ARSBL-TBTH413	–	
N/A	6.0 mm	○	–	–	ARMU-TBT486TBS	



* Screw included

Angled Screw Channel Ti-Bases* (Ti-Base-A)

			3.3 mm (P)	4.1/4.8 mm (P)	4.8 mm (P)	
			NC	RC	Multi-Unit	
Ti		○	ARSBL-TBANH33	ARSBL-TBANH41	ARMU-TBA486	
Ti		⬡	ARSBL-TBAH3325	ARSBL-TBAH41	–	


* Screw included

Cerec Compatible* (Ti-Base-C)

			3.3 mm (P)	4.1/4.8 mm (P)	
			NC	RC	
Gingival Height					
0.7 mm		○	ARSBL-TBCNH3307*	ARSBL-TBCNH4107	
3.0 mm		○	ARSBL-TBCNH333	ARSBL-TBCNH413	
0.7 mm		⬡	ARSBL-TBCH3307	ARSBL-TBCH4107	
3.0 mm		⬡	ARSBL-TBCH333	ARSBL-TBCH413	

* Screw included.

Titanium Pre-Milled Blanks

			3.3 mm (P)	4.1/4.8 mm (P)	
			NC	RC	
10 mm (D)			ARSBL-BTH3310	ARSBL-BTH4110	
14 mm (D)			ARSBL-BTH3314	ARSBL-BTH4114	

* Screw included

A wide range of blanks holders are available in Azure Multi-Platform Prosthetic Solutions. Check with your representative for options.

Cement-Retained

Cement-Retained Abutments*	3.3 mm (P)	4.1/4.8 mm (P)
	NC	RC
0°	ARSBL-CRA33	ARSBL-CRA41
15°	ARSBL-CR15A33	ARSBL-CR15A41

*Screw included.



Cobalt Chrome Castable Cylinders*	3.3 mm (P)	4.1/4.8 mm (P)	4.8 mm (P)
	NC	RC	Multi-Unit
○	ARSBL-CACNH33	ARSBL-CACNH41	–
⬡	ARSBL-CACH33	ARSBL-CACH41	–
○	–	–	ARMU-CAC48TBS
○	–	–	ARMU-CAWC48

For Welding

*Screw included



Castable Cylinders*	3.3 mm (P)	4.1/4.8 mm (P)	4.8 mm (P)
	NC	RC	Multi-Unit
○	ARSBL-CAPNH33	ARSBL-CAPNH41	ARMU-CAPNH4865X5
⬡	ARSBL-CAPH33	ARSBL-CAPH41	ARMU-CAPNH488X5

*Screw included



Castable Cylinders (Ti-Base-T)		3.3 mm (P)		4.1/4.8 mm (P)	4.8 mm (P)
		NC	RC	Multi-Unit	
5-pack	○	ARTBT-CAPNHUX5	ARTBT-CAPNHUX5	ARMU-CAPNH486X5	
5-pack	⬡	ARTBT-CAPHUX5	ARTBT-CAPHUX5	-	



Screw-Retained

Multi-Unit Abutments*		3.3 mm (P)		4.1/4.8 mm (P)
		NC	RC	RC
<i>Angulation</i>	<i>Gingival Height</i>			
0°	1.5 mm	○	ARSBL-MUNH3315	ARSBL-MUNH4115
0°	2.5 mm	○	ARSBL-MUNH3325	ARSBL-MUNH4125
0°	3.5 mm	○	ARSBL-MUNH3335	ARSBL-MUNH4135
0°	4.5 mm	○	-	ARSBL-MUNH4145
17°	2.5 mm	⬡	ARSBL-MU17A3325	ARSBL-MU17A4125
17°	3.5 mm	⬡	ARSBL-MU17A3335	ARSBL-MU17A4135
30°	3.5 mm	⬡	ARSBL-MU30A3335	ARSBL-MU30A4135
30°	4.5 mm	⬡	ARSBL-MU30A3345	ARSBL-MU30A4145



* Screw included











OverdenSURE® Removable Attachment System

OverdenSURE	3.3 mm (P)	4.1/4.8 mm (P)	4.8 mm (P)
	NC	RC	Multi-Unit
<i>Gingival Height</i>			
1.0 mm	–	ODS-SBL411*	–
2.0 mm	ODS-SBL332*	ODS-SBL412*	–
3.0 mm	ODS-SBL333*	ODS-SBL413*	ARMU-ODA483
4.0 mm	ODS-SBL334*	ODS-SBL414*	–



* Includes ODS-RIKIT2001 Retention Kit

Retention Inserts

Retention Kit	20°	Qty. 1 Set	ODS-RIKIT2001	
Retention Kit	20°	Qty. 2 Sets	ODS-RIKIT2002	
Retention Kit	40°	Qty. 1 Set	ODS-RIKIT4001	
Retention Kit	40°	Qty. 2 Sets	ODS-RIKIT4002	
Blue Retention Insert	20°	Qty. 4	ODS-RIB2004	
Pink Retention Insert	20°	Qty. 4	ODS-RIP2004	
Clear Retention Insert	20°	Qty. 4	ODS-RIC2004	
Red Retention Insert	40°	Qty. 4	ODS-RIR4004	
Yellow Retention Insert	40°	Qty. 4	ODS-RIY4004	
Green Retention Insert	40°	Qty. 4	ODS-RIG4004	

Impression Copings

Qty. 1	ODS-IC01
Qty. 4	ODS-IC04
Qty. 10	ODS-IC10



Analogs

Qty. 1	ODS-AA01
Qty. 4	ODS-AA04
Qty. 10	ODS-AA10



Retention Housing Cap and Accessory

Retention Housing Cap	Qty. 1	ODS-RH01
Retention Housing Cap	Qty. 4	ODS-RH04
Retention Housing Cap	Qty. 10	ODS-RH10
Blackout Spacer	Qty. 20	ODS-BS020




Replacement Screws

Replacement Torx Screws	3.3 mm (P)	4.1/4.8 mm (P)	3.3–4.8 mm (P)	4.8 mm (P)
	NC	RC	NC/RC	Multi-Unit
Ti (Most abutments)	ARSBL-STRXTI33N*	ARSBL-STRXTI44*	ARSBL-STRXTI34*	–
TiN (Most abutments)	ARSBL-STRXTIN33*	ARSBL-STRXTIN44*	ARSBL-STRXTIN34*	–
Ti (Ti-Base-A/MUA components)	ARSBL-STRXTITA34**	ARSBL-STRXTITA34**	–	ARMU-STRXTI48**

* For use ONLY with Torx Driver Tip ** For use ONLY with Torx Ball Driver



Recommended Torque (Ncm)	Platform Size	Item Number	Recommended Torque (Ncm)
Azure BONE LEVEL SBL-CONICAL 	NC on implant	ARSBL-STRXTI33N	35
	NC on implant	ARSBL-STRXTIN33	35
	RC on implant	ARSBL-STRXTI44	35
	RC on implant	ARSBL-STRXTIN44	35
	NC/RC on implant	ARSBL-STRXTI34	35
	NC/RC on implant	ARSBL-STRXTIN34	35
	NC/RC Angled Screw Channel Ti-Bases (Ti-Base-A)	ARSBL-STRXTITA34	35
	NC/RC on implant for Multi-Unit	ARMU-STRXTI48	35



Restorative Tools

The Azure TBL Implant uses Azure SBL-CONICAL prosthetics

○ non-engaging
 ⬡ engaging



- The Torx Restorative Screwdriver tip is utilized for all SBL-CONICAL prosthetic components and screws on Azure TBL implants unless specified.

Prosthetic Tools

Ratchets and Adapters

Description	Item Number
Torque Indicating Ratchet	ASTBL-TIR
Restorative Adapter for Ratchet	ASTBL-RA

Note: The same Torque Indicating Ratchet (ASTBL-TIR) is used for surgical and restorative applications



Torx® Driver Tips*

20 mm (L)	24 mm (L)	30 mm (L)	35 mm (L)
ARA-DT20TC06	ARA-DT24TC06	ARA-DT30TC06	ARA-DT35TC06

*Used with ASTBL-RA (Restorative Adapter for Ratchet) latch lock adapter



Torx® Ball Driver Tips* (Ti-Base-A)

MUA components

20 mm (L)	24 mm (L)	30 mm (L)	35 mm (L)
ARA-DT20TB06	ARA-DT24TB06	ARA-DT30TB06	ARA-DT35TB06

*Used with ASTBL-RA (Restorative Adapter for Ratchet) latch lock adapter



Driver Tips*

1.27 mm hex

20 mm (L)	24 mm (L)	30 mm (L)	35 mm (L)
ARA-DTC20H127	ARA-DTC24H127	ARA-DTC30H127	ARA-DTC35H127

*Used with ASTBL-RA (Restorative Adapter for Ratchet) latch lock adapter.



Specialty Tools

Prosthetic Tools

Additional Tools

Description	Item Number
Multi-Unit Driver for Square Connection	ARA-MUAD48
Screwdriver Adapter for Square Connection	ARA-DTSQ
OverdenSURE Tool for Square Connection	ODS-DRVR*
Torque Indicating Wrench Square Connection Adapter	ARA-SQD7
Contra-angle to square connection adapter	ARA-SDISO
OverdenSURE Removal and Insertion Tool	ODS-IRTOOL*
OverdenSURE Driver for Torque Wrench	ODS-AD7ST*
Manual Driver for Intraoral Scan Abutments	ARA-ISBTD
Manual Tool for Intraoral Scan Abutments	ARA-ISBPD
Scan Body Extender	ARA-EXTISA
Osstell Smart Peg Tapered Bone Level NC	Type 53
Osstell Smart Peg Tapered Bone Level RC	Type 54



* These are OverdenSURE Tools.


Azure Tapered Bone Level Surgical Kit



Azure TBL Surgical Kit Components


KIT KEY	DESCRIPTION	ITEM NO.	ASTBL-SURKIT
1	Surgical Tray, Empty	ASTBL-SURTRAY	•
2	Round Bur Ø2.0 mm	1203G	
3	Drill Extender	DEG	
4	Needle Drill, Ø1.6 x 33 mm	ASTBL-ND1633	
5	Needle Drill, Ø1.6 x 41 mm	ASTBL-ND1641	•
6	Pilot Drill, Ø2.2 x 29 mm	ASTBL-PID2229	
7	Pilot Drill, Ø2.2 x 33 mm	ASTBL-PID2233	•
8	Pilot Drill, Ø2.2 x 41 mm	ASTBL-PID2241	•
9	Drill, Ø2.8 x 29 mm	ASTBL-D2829	
10	Drill, Ø2.8 x 33 mm	ASTBL-D2833	•
11	Drill, Ø2.8 x 41 mm	ASTBL-D2841	•
12	Drill, Ø3.5 x 29 mm	ASTBL-D3529	
13	Drill, Ø3.5 x 33 mm	ASTBL-D3533	•
14	Drill, Ø3.5 x 41 mm	ASTBL-D3541	•
15	Drill, Ø4.2 x 29 mm	ASTBL-D4229	
16	Drill, Ø4.2 x 33 mm	ASTBL-D4233	•
17	Drill, Ø4.2 x 41 mm	ASTBL-D4241	•
18	Profile Drill, Ø3.3 x 25 mm	ASTBL-PRD3325	•
19	Profile Drill, Ø3.3 x 33 mm	ASTBL-PRD3333	
20	Profile Drill, Ø4.1 x 25 mm	ASTBL-PRD4125	•
21	Profile Drill, Ø4.1 x 33 mm	ASTBL-PRD4133	
22	Profile Drill, Ø4.8 x 25 mm	ASTBL-PRD4825	•
23	Profile Drill, Ø4.8 x 33 mm	ASTBL-PRD4833	
24	Tap NC, Ø3.3 x 25 mm	ASTBL-TAP33	•
25	Tap RC, Ø4.1 x 25 mm	ASTBL-TAP41	•
26	Tap RC, Ø4.8 x 25 mm	ASTBL-TAP48	•
27	Depth Gauge, Ø2.2 mm x 27 mm	ASTBL-DG22	•
28	Depth Gauge, Ø2.8 mm x 27 mm	ASTBL-DG28	•
29	Depth Gauge, Ø3.5 mm x 27 mm	ASTBL-DG35	•
30	Depth Gauge, Ø4.2 mm x 27 mm	ASTBL-DG42	•
31	Torque Indicating Ratchet	ASTBL-TIR	•
32	Implant Driver Adapter for Ratchet	ASTBL-IDA	•
33	Implant Driver NC, Ø3.3 x 28 mm	ASTBL-IDNC3328	•
34	Implant Driver NC, Ø3.3 x 37 mm	ASTBL-IDNC3337	•
35	Implant Driver RC, Ø4.1 x 28 mm	ASTBL-IDRC428	•
36	Implant Driver RC, Ø4.1 x 37 mm	ASTBL-IDRC437	•
37	Restorative Adapter for Ratchet	ASTBL-RA	•
38	Restorative Screwdriver, 20 mm	ARA-DT20TC06	
39	Restorative Screwdriver, 24 mm	ARA-DT24TC06	•
40	Restorative Screwdriver, 30 mm	ARA-DT30TC06	
41	Restorative Screwdriver, 35 mm	ARA-DT35TC06	•

Note: Items with the blue dot are included in the complete kit configuration. Part Number ASTBL-SURKIT is for ordering purposes only. Kit parts are invoiced separately.



Surgical Kit Layout

Follow the numeric key in the table, then locate the corresponding numbers in the kit layout below for accurate placement of each surgical tool.



Drills
[29 mm (L)]

Profile Drills
[33 mm (L)]

- EXTRA TOOLS
- BONE TYPE/ PROTOCOL REFERENCE
- EXTRA DRILLS
- IMPLANT STAGING

Surgical Kit

NOTE: Part Numbers ASTBL-SURKIT and ASTBL-SURSUP are for ordering purposes only. Kit parts are invoiced separately.

Items with the blue dots are included in kit configuration as indicated in tables below.

Description	Item Number
Surgical Kit, Complete	ASTBL-SURKIT
Surgical Tray, Empty	ASTBL-SURTRAY
Supplemental Instrumentation	ASTBL-SURSUP



Drills

Needle and Pilot Drills

Description	Item Number	ASTBL-SURKIT
Needle drill Ø1.6 x 33 mm	ASTBL-ND1633	
Needle drill Ø1.6 x 41 mm	ASTBL-ND1641	•
Pilot drill Ø2.2 x 29 mm	ASTBL-PID2229	
Pilot drill Ø2.2 x 33 mm	ASTBL-PID2233	•
Pilot drill Ø2.2 x 41 mm	ASTBL-PID2241	•



Drills

Description	Item Number	ASTBL-SURKIT
Drill Ø2.8 x 29 mm	ASTBL-D2829	
Drill Ø2.8 x 33 mm	ASTBL-D2833	•
Drill Ø2.8 x 41 mm	ASTBL-D2841	•
Drill Ø3.5 x 29 mm	ASTBL-D3529	
Drill Ø3.5 x 33 mm	ASTBL-D3533	•
Drill Ø3.5 x 41 mm	ASTBL-D3541	•
Drill Ø4.2 x 29 mm	ASTBL-D4229	
Drill Ø4.2 x 33 mm	ASTBL-D4233	•
Drill Ø4.2 x 41 mm	ASTBL-D4241	•



Profile Drills

Description	Item Number	ASTBL-SURKIT
Profile drill Ø3.3 x 25 mm	ASTBL-PRD3325	•
Profile drill Ø3.3 x 33 mm	ASTBL-PRD3333	
Profile drill Ø4.1 x 25 mm	ASTBL-PRD4125	•
Profile drill Ø4.1 x 33 mm	ASTBL-PRD4133	
Profile drill Ø4.8 x 25 mm	ASTBL-PRD4825	•
Profile drill Ø4.8 x 33 mm	ASTBL-PRD4833	



Taps

Description	Item Number	ASTBL-SURKIT
Tap NC Ø3.3 x 25 mm	ASTBL-TAP33	•
Tap RC Ø4.1 x 25 mm	ASTBL-TAP41	•
Tap RC Ø4.8 x 25 mm	ASTBL-TAP48	•



Instrumentation

Depth Gauges

Description	Item Number	ASTBL-SURKIT
Depth Gauge Ø2.2 x 27 mm	ASTBL-DG22	•
Depth Gauge Ø2.8 x 27 mm	ASTBL-DG28	•
Depth Gauge Ø3.5 x 27 mm	ASTBL-DG35	•
Depth Gauge Ø4.2 x 27 mm	ASTBL-DG42	•



Implant Drivers

Description	Item Number	ASTBL-SURKIT
Implant Driver NC Ø3.3 x 28 mm	ASTBL-IDNC3328	•
Implant Driver NC Ø3.3 x 37 mm	ASTBL-IDNC3337	•
Implant Driver RC Ø 4.1 x 28 mm	ASTBL-IDRC428	•
Implant Driver RC Ø 4.1 x 37 mm	ASTBL-DRC437	•



Ratchets and Adapters

Description	Item Number	ASTBL-SURKIT
Torque Indicating Ratchet	ASTBL-TIR*	•
Implant Driver Adapter, Manual or Ratchet	ASTBL-IDA	•
Restorative Adapter for Ratchet	ASTBL-RA	•



* Note: The same Torque Indicating Ratchet (ASTBL-TIR) is used for surgical and restorative applications.

Bur and Extender

Description	Item Number	ASTBL-SURKIT
Round Bur Ø2.0	1203G	
Drill Extender	DEG	



Instrumentation (cont'd)

Osstell SmartPeg Types*

Description	Item Number
Tapered Bone Level NC	Type 53
Tapered Bone Level RC	Type 54



*Visit www.osstell.com to purchase

Supplemental Instrumentation


Set of 12 additional length drills, starter drills, profile drills, and screwdriver tips.

Items with the blue dots are included in instrument configuration as indicated in the table.

Description	Item Number	ASTBL-SURSUP
Round Bur, Ø2.0 mm	1203G	•
Drill Extender	DEG	•
Needle Drill, Ø1.6 x 33 mm	ASTBL-ND1633	•
Pilot Drill, Ø2.2 x 29 mm	ASTBL-PID2229	•
Drill, Ø2.8 x 29 mm	ASTBL-D2829	•
Drill, Ø3.5 x 29 mm	ASTBL-D3529	•
Drill, Ø4.2 x 29 mm	ASTBL-D4229	•
Profile Drill, Ø3.3 x 33 mm	ASTBL-PRD3333	•
Profile Drill, Ø4.1 x 33 mm	ASTBL-PRD4133	•
Profile Drill, Ø4.8 x 33 mm	ASTBL-PRD4833	•
Restorative Screwdriver, 20 mm	ARA-DT20TC06	•
Restorative Screwdriver, 30 mm	ARA-DT30TC06	•




Azure Tapered Bone Level Guided Surgical Kit




Azure TBL Guided Surgical Kit Layout

To identify the location of instruments in the Azure TBL Guided Surgical Kit, follow the numeric key in the table, then locate the corresponding numbers in the kit layout below. The kit will be delivered as individual components and will need to be assembled according to the location key of tool in the illustration.



Images shown are representational in nature and may not be to scale or display the exact geometry or color of the actual components.

NC = Narrow Connection, RC = Regular Connection



Azure TBL Guided Surgical Kit Components

KIT KEY	DESCRIPTION	ITEM NO.	KIT KEY	DESCRIPTION	ITEM NO.
1	Surgical Tray, Empty	3DM00632TBLTRAY	31	Shaping Drill, Ø4.1/4.8 x 3.5 mm x 14 mm (L)	AGTBL-SD41483514
2	Tissue Punch, Ø3.3 mm	AGTBL-TP33	32	Shaping Drill, Ø4.1/4.8 x 3.5 mm x 16 mm (L)	AGTBL-SD41483516
3	Tissue Punch, Ø4.1/4.8 mm	AGTBL-TP4148	33	Shaping Drill, Ø4.1/4.8 x 4.2 mm x 8 mm (L)	AGTBL-SD4148428
4	Pilot Drill, Ø3.3 mm	AGTBL-GPD33	34	Shaping Drill, Ø4.1/4.8 x 4.2 mm x 10 mm (L)	AGTBL-SD41484210
5	Pilot Drill, Ø4.1 mm	AGTBL-GPD41	35	Shaping Drill, Ø4.1/4.8 x 4.2 mm x 12 mm (L)	AGTBL-SD41484212
6	Pilot Drill, Ø4.8 mm	AGTBL-GPD48	36	Shaping Drill, Ø4.1/4.8 x 4.2 mm x 14 mm (L)	AGTBL-SD41484214
7	Cortical Perforator, Ø3.3 mm (Short)	AGTBL-CP33S	37	Shaping Drill, Ø4.1/4.8 x 4.2 mm x 16 mm (L)	AGTBL-SD41484216
8	Cortical Perforator, Ø3.3 mm (Long)	AGTBL-CP33L	38	Tap, Ø3.3 mm (Short)	AGTBL-T33S
9	Cortical Perforator, Ø4.1 mm (Short)	AGTBL-CP41S	39	Tap, Ø3.3 mm (Long)	AGTBL-T33L
10	Cortical Perforator, Ø4.1 mm (Long)	AGTBL-CP41L	40	Tap, Ø4.1 mm (Short)	AGTBL-T41S
11	Cortical Perforator, Ø4.8 mm (Short)	AGTBL-CP48S	41	Tap, Ø4.1 mm (Long)	AGTBL-T41L
12	Cortical Perforator, Ø4.8 mm (Long)	AGTBL-CP48L	42	Tap, Ø4.8 mm (Short)	AGTBL-T48S
13	Shaping Drill, Ø3.3 x 2.2 mm x 8 mm (L)	AGTBL-SD33228	43	Tap, Ø4.8 mm (Long)	AGTBL-T48L
14	Shaping Drill, Ø3.3 x 2.2 mm x 10 mm (L)	AGTBL-SD332210	44	Mount NC, Ø3.3 mm (Short), Qty. 2	AGTBL-IMNC33S
15	Shaping Drill, Ø3.3 x 2.2 mm x 12 mm (L)	AGTBL-SD332212	45	Mount NC, Ø3.3 mm (Long), Qty. 2	AGTBL-IMNC33L
16	Shaping Drill, Ø3.3 x 2.2 mm x 14 mm (L)	AGTBL-SD332214	46	Mount RC, Ø4.1/4.8 (Short), Qty. 2	AGTBL-IMRC4148S
17	Shaping Drill, Ø3.3 x 2.2 mm x 16 mm (L)	AGTBL-SD332216	47	Mount RC, Ø4.1/4.8 (Long), Qty. 2	AGTBL-IMRC4148L
18	Shaping Drill, Ø3.3 x 2.8 mm x 8 mm (L)	AGTBL-SD33288	48	Hex Screwdriver, 20 mm (L)	AGTBL-HSD20
19	Shaping Drill, Ø3.3 x 2.8 mm x 10 mm (L)	AGTBL-SD332810	49	Hex Screwdriver, 30 mm (L)	AGTBL-HSD30
20	Shaping Drill, Ø3.3 x 2.8 mm x 12 mm (L)	AGTBL-SD332812	50	Implant Mount Driver	AGTBL-IMD
21	Shaping Drill, Ø3.3 x 2.8 mm x 14 mm (L)	AGTBL-SD332814	51	Implant Driver Adapter for Ratchet	ASTBL-IDA
22	Shaping Drill, Ø3.3 x 2.8 mm x 16 mm (L)	AGTBL-SD332816	52	Restorative Adapter for Ratchet	ASTBL-RA
23	Shaping Drill, Ø4.1/4.8 x 2.8 mm x 8 mm (L)	AGTBL-SD4148288	53	Restorative Screwdriver, 20 mm (L)	ARA-DT20TC06
24	Shaping Drill, Ø4.1/4.8 x 2.8 mm x 10 mm (L)	AGTBL-SD41482810	54	Restorative Screwdriver, 30 mm (L)	ARA-DT30TC06
25	Shaping Drill, Ø4.1/4.8 x 2.8 mm x 12 mm (L)	AGTBL-SD41482812	55	Torque Indicating Ratchet	ASTBL-TIR
26	Shaping Drill, Ø4.1/4.8 x 2.8 mm x 14 mm (L)	AGTBL-SD41482814	56	Fixation Pin, Qty. 4	AGTBL-FP
27	Shaping Drill, Ø4.1/4.8 x 2.8 mm x 16 mm (L)	AGTBL-SD41482816	57	Fixation Drill, Qty. 2	AGTBL-FD
28	Shaping Drill, Ø4.1/4.8 x 3.5 mm x 8 mm (L)	AGTBL-SD4148358			
29	Shaping Drill, Ø4.1/4.8 x 3.5 mm x 10 mm (L)	AGTBL-SD41483510			
30	Shaping Drill, Ø4.1/4.8 x 3.5 mm x 12 mm (L)	AGTBL-SD41483512			

Note: Part number AGTBL-GSURKIT is for ordering purposes only. Individual kit parts are packaged separately.

Guided Surgical Kit

Description	Item Number
Surgical Kit, Complete	AGTBL-GSURKIT
Surgical Tray, Empty	3DM00632TBLTRAY



Instrumentation

Tissue Punches

Description	Item Number	AGTBL-GSURKIT
Tissue Punch, Ø3.3 mm	AGTBL-TP33	•
Tissue Punch, Ø4.1/4.8 mm	AGTBL-TP4148	•



Pilot Drills

Description	Item Number	AGTBL-GSURKIT
Pilot Drill, Ø3.3 mm	AGTBL-GPD33	•
Pilot Drill, Ø4.1 mm	AGTBL-GPD41	•
Pilot Drill, Ø4.8 mm	AGTBL-GPD48	•



Cortical Perforators

Description	Item Number	AGTBL-GSURKIT
Cortical Perforator, Ø3.3 mm (Short)	AGTBL-CP33S	•
Cortical Perforator, Ø3.3 mm (Long)	AGTBL-CP33L	•
Cortical Perforator, Ø4.1 mm (Short)	AGTBL-CP41S	•
Cortical Perforator, Ø4.1 mm (Long)	AGTBL-CP41L	•
Cortical Perforator, Ø4.8 mm (Short)	AGTBL-CP48S	•
Cortical Perforator, Ø4.8 mm (Long)	AGTBL-CP48L	•



Shaping Drills

Description	Item Number	AGTBL-GSURKIT
Shaping Drill, Ø3.3 x Ø2.2 mm x 8 mm (L)	AGTBL-SD33228	•
Shaping Drill, Ø3.3 x Ø2.2 mm x 10 mm (L)	AGTBL-SD332210	•
Shaping Drill, Ø3.3 x Ø2.2 mm x 12 mm (L)	AGTBL-SD332212	•
Shaping Drill, Ø3.3 x Ø2.2 mm x 14 mm (L)	AGTBL-SD332214	•
Shaping Drill, Ø3.3 x Ø2.2 mm x 16 mm (L)	AGTBL-SD332216	•



Shaping Drills (Continued)

Description	Item Number	AGTBL-GSURKIT
Shaping Drill, Ø3.3 x Ø2.8 mm x 8 mm (L)	AGTBL-SD33288	•
Shaping Drill, Ø3.3 x Ø2.8 mm x 10 mm (L)	AGTBL-SD332810	•
Shaping Drill, Ø3.3 x Ø2.8 mm x 12 mm (L)	AGTBL-SD332812	•
Shaping Drill, Ø3.3 x Ø2.8 mm x 14 mm (L)	AGTBL-SD332814	•
Shaping Drill, Ø3.3 x Ø2.8 mm x 16 mm (L)	AGTBL-SD332816	•
Shaping Drill, Ø4.1/4.8 x Ø2.8 mm x 8 mm (L)	AGTBL-SD4148288	•
Shaping Drill, Ø4.1/4.8 x Ø2.8 mm x 10 mm (L)	AGTBL-SD41482810	•
Shaping Drill, Ø4.1/4.8 x Ø2.8 mm x 12 mm (L)	AGTBL-SD41482812	•
Shaping Drill, Ø4.1/4.8 x Ø2.8 mm x 14 mm (L)	AGTBL-SD41482814	•
Shaping Drill, Ø4.1/4.8 x Ø2.8 mm x 16 mm (L)	AGTBL-SD41482816	•
Shaping Drill, Ø4.1/4.8 x Ø3.5 mm x 8 mm (L)	AGTBL-SD4148358	•
Shaping Drill, Ø4.1/4.8 x Ø3.5 mm x 10 mm (L)	AGTBL-SD41483510	•
Shaping Drill, Ø4.1/4.8 x Ø3.5 mm x 12 mm (L)	AGTBL-SD41483512	•
Shaping Drill, Ø4.1/4.8 x Ø3.5 mm x 14 mm (L)	AGTBL-SD41483514	•
Shaping Drill, Ø4.1/4.8 x Ø3.5 mm x 16 mm (L)	AGTBL-SD41483516	•
Shaping Drill, Ø4.1/4.8 x Ø4.2 mm x 8 mm (L)	AGTBL-SD4148428	•
Shaping Drill, Ø4.1/4.8 x Ø4.2 mm x 10 mm (L)	AGTBL-SD41484210	•
Shaping Drill, Ø4.1/4.8 x Ø4.2 mm x 12 mm (L)	AGTBL-SD41484212	•
Shaping Drill, Ø4.1/4.8 x Ø4.2 mm x 14 mm (L)	AGTBL-SD41484214	•
Shaping Drill, Ø4.1/4.8 x Ø4.2 mm x 16 mm (L)	AGTBL-SD41484216	•

Taps

Description	Item Number	AGTBL-GSURKIT
Tap, Ø3.3 mm (Short)	AGTBL-T33S	•
Tap, Ø3.3 mm (Long)	AGTBL-T33L	•
Tap, Ø4.1 mm (Short)	AGTBL-T41S	•



Instrumentation (cont'd)

Taps (Continued)

Description	Item Number	AGTBL-GSURKIT
Tap, Ø4.1 mm (Long)	AGTBL-T41L	•
Tap, Ø4.8 mm (Short)	AGTBL-T48S	•
Tap, Ø4.8 mm (Long)	AGTBL-T48L	•

Implant Mounts

Description	Item Number	AGTBL-GSURKIT
Mount NC, Ø3.3 mm (Short), Qty. 2	AGTBL-IMNC33S	•
Mount NC, Ø3.3 mm (Long), Qty. 2	AGTBL-IMNC33L	•
Mount RC, Ø4.1/4.8 (Short), Qty. 2	AGTBL-IMRC4148S	•
Mount RC, Ø4.1/4.8 (Long), Qty. 2	AGTBL-IMRC4148L	•



Implant Mount Driver, Adapters and Screwdrivers

Description	Item Number	AGTBL-GSURKIT
Hex Screwdriver, 20 mm (L)	AGTBL-HSD20	•
Hex Screwdriver, 30 mm (L)	AGTBL-HSD30	•
Implant Mount Driver	AGTBL-IMD	•
Implant Driver Adapter for Ratchet	ASTBL-IDA	•
Restorative Adapter for Ratchet	ASTBL-RA	•
Restorative Screwdriver, 20 mm (L)	ARA-DT20TC06	•
Restorative Screwdriver, 30 mm (L)	ARA-DT30TC06	•



Ratchet

Description	Item Number	AGTBL-GSURKIT
Torque Indicating Ratchet	ASTBL-TIR*	•



* Note: The same Torque Indicating Ratchet (ASTBL-TIR) is used for surgical and restorative applications.

Pin Drills, Fixation Pins and Pin Drill Fixation Sleeve

Description	Item Number	AGTBL-GSURKIT
Fixation Pin, Qty. 4	AGTBL-FP	•
Fixation Drill, Qty. 2	AGTBL-FD	•
Surgical Guide Pin Fixation Sleeve, Qty. 10	3DM00671	•




































Surgical Guide Sleeves

Surgical Guide Sleeves	Description	Item Number	AGTBL-GSURKIT
	Surgical Guide Sleeve-Azure Guided Master Tube Ø3.3 mm, Qty. 10	3DM00605AZ33.10	
	Surgical Guide Sleeve-Azure Guided Master Tube Ø4.8 mm, Qty. 10	3DM00605AZ48.10	









Azure Tapered Bone Level Implants

Restorative Reference Guide

Restorative Category	Abutment/Component	Connection Type	Replacement Screw Type	Screw Included	Driver Tip	Rec. Torque (Ncm)	Mode of Use	Gingival Height sizes mm (L)
Healing Components	Cover Screws	Non-Engaging 	N/A	N/A	 Torx Driver Tip 20 mm (L), 24 mm (L), 30 mm (L), 35 mm (L)	Hand Tighten	 Hand tighten with Torx Driver Tip, and Restorative Adapter	N/A
	Healing Abutment	Non-Engaging Multi-Unit Level* 						Non-Engaging 3.0 mm, 4.0 mm, 5.0 mm
Impression Transfer	Scan Bodies	Implant Level Multi-Unit Level 	N/A	Yes Excluding closed tray-only transfer	Manual tool for Intraoral Scan Bodies 	Hand Tighten	Manual tool for Intraoral Scan Bodies	N/A
	Traditional Impression Transfer	Implant Level Multi-Unit open/closed 			Torx Driver Tip 		Place by hand	
Temporary Cylinders	Temporary Cylinders	Non-Engaging Engaging 	ARSBL-STRXTI34 	Yes	 Torx Driver Tip	35	 Tighten with Torque Indicating Ratchet, Torx Driver Tip, and Restorative Adapter	Engaging / Non-Engaging 1.2 mm, 2.0 mm, 3.0 mm
		Multi-Unit Level* 	ARMU-STRXTI48 					
Digital Components	Titanium Ti-Bases (Ti-Base-T)	Non-Engaging Engaging 	ARSBL-STRXTI34 	Yes	Torx Ball Driver Tip  20 mm (L), 24 mm (L), 30 mm (L), 35 mm (L)	35	 Tighten with Torque Indicating Ratchet, Torx Ball Driver Tip, and Restorative Adapter	Engaging / Non-Engaging 1.2 mm, 2.0 mm, 3.0 mm
		Multi-Unit Level 	ARMU-STRXTI48 					
	Angled Screw Channel Ti-Bases (Ti-Base-A)	Non-Engaging Engaging 	ARSBL-STRXTIA34 		Torx Ball Driver Tip  20 mm (L), 24 mm (L), 30 mm (L), 35 mm (L)	35	 Tighten with Torque Indicating Ratchet, Torx Ball Driver Tip, and Restorative Adapter	N/A
		Multi-Unit Level 	ARMU-STRXTI48 					
Cement Retained	CEREC®-Compatible Ti-Bases (Ti-Base-C)	Non-Engaging Engaging 	ARSBL-STRXTI34 	Torx Driver Tip 	35	 Tighten with Torque Indicating Ratchet, Torx Driver Tip, and Restorative Adapter	Engaging / Non-Engaging 0.7 mm, 3.0 mm	
	Titanium Pre-Milled Blanks	Engaging 					N/A	
	Straight Cement-Retained	Engaging 					N/A	
	15° Angle Cement-Retained	Engaging 						

*Use 1.27mm Hex Driver with UMUA-HC and UMUA-TC

Azure Tapered Bone Level Implants - Restorative Reference Guide *(cont'd)*

Restorative Category	Abutment/Component	Connection Type	Replacement Screw Type	Screw Included	Driver Tip	Rec. Torque (Ncm)	Mode of Use	Gingival Height sizes (mm)
Screw Retained	Castable Cylinders	Non-Engaging	ARSBL-STRXTI34	Yes		35		N/A
		Engaging						
	Cobalt Chrome Castable Cylinders	Multi-Unit Level	ARSBL-STRXTI34	Yes	Torx Driver Tip	35	Tighten with Torque Indicating Ratchet, Torx Driver Tip, and Restorative Adapter	
		Non-Engaging						
	Castable Cylinders for Ti-Base-T	Non-Engaging	N/A	N/A	N/A	N/A	Used with the appropriate Ti-Base abutment	
Engaging		N/A	N/A	N/A	N/A	Used with the appropriate Ti-Base abutment		
Multi-Unit Abutments	Engaging	N/A	ARSBL-STRXTI34	Yes		35 Abutment		
	Non-Engaging	15 Prosthetic						
Analog	Digital	1.27 mm Hex retention screw	N/A	N/A		Hand tighten	Hand tighten with Hex Driver	
	Stone	N/A			N/A			
Overdenture	OverdenSURE Attachments	Non-Engaging	N/A	N/A	ODS-AD7ST, or	35		NC: 2.0 mm, 3.0 mm, 4.0 mm RC: 1.0 mm, 2.0 mm, 3.0 mm, 4.0 mm Multi-Unit: 3.0 mm
		Multi-Unit Level			ODS-DRVR			

For more information, visit [ZimVie.com](https://www.zimvie.com)

ZimVie US Corp LLC

4555 Riverside Drive

Palm Beach Gardens, FL 33410

Tel: +1-561-776-6700

Fax: +1-561-776-1272

dentalCS@ZimVie.com



Unless otherwise indicated, as referenced herein, all trademarks and intellectual property rights are the property of ZimVie Inc. and its affiliates; and all products are manufactured by one or more of the dental subsidiaries of ZimVie US Corp LLC (Biomet 3i, LLC, etc.) and distributed by ZimVie US Corp LLC and its authorized marketing partners. Azure Tapered Bone Level Implants and Restorative Components are manufactured by Terrats Medical S.L. Torx Ball Driver is a registered trademark of Terrats Medical S.L. Cerec is a registered trademark of Dentsply Sirona, Inc. EU MDR classification: Implants and abutments (Class IIb), Drills and Drivers (Class IIa), Analogs, Scan Bodies and impression (Class I). The intended purpose of Azure TBL Implants is for the functional and aesthetic oral rehabilitation of the upper or lower jaw. The intended use of Drills is to fix prosthetic restorations and auxiliary abutments. The intended use of Abutments is to form the core of prosthetic crowns and bridges. The intended use of Analogs is to simulate dental implant connection and position. The products shown in this material are not eligible for reimbursement in France. For other countries, please check the local laws and regulations. For additional product information, please refer to the individual product labeling or instructions for use. Product clearance and availability may be limited to certain countries/regions. This material is intended for clinicians only and does not comprise medical advice or recommendations. Distribution to any other recipient is prohibited. ZVINST0201-GLBL REV E 03/26 ©2026 ZimVie. All rights reserved.



The NB number applicable to each device can be found on the product label, if applicable.